



# National Institute of Justice

Law Enforcement and Corrections Standards and Testing Program

## **Guide for the Selection of Chemical and Biological Decontamination Equipment for Emergency First Responders**

**NIJ Guide 103–00**

**Volume I  
October 2001**

## ABOUT THE LAW ENFORCEMENT AND CORRECTIONS STANDARDS AND TESTING PROGRAM

The Law Enforcement and Corrections Standards and Testing Program is sponsored by the Office of Science and Technology of the National Institute of Justice (NIJ), U.S. Department of Justice. The program responds to the mandate of the Justice System Improvement Act of 1979, which directed NIJ to encourage research and development to improve the criminal justice system and to disseminate the results to Federal, State, and local agencies.

The Law Enforcement and Corrections Standards and Testing Program is an applied research effort that determines the technological needs of justice system agencies, sets minimum performance standards for specific devices, tests commercially available equipment against those standards, and disseminates the standards and the test results to criminal justice agencies nationally and internationally.

The program operates through:

The *Law Enforcement and Corrections Technology Advisory Council* (LECTAC), consisting of nationally recognized criminal justice practitioners from Federal, State, and local agencies, which assesses technological needs and sets priorities for research programs and items to be evaluated and tested.

The *Office of Law Enforcement Standards* (OLES) at the National Institute of Standards and Technology, which develops voluntary national performance standards for compliance testing to ensure that individual items of equipment are suitable for use by criminal justice agencies. The standards are based upon laboratory testing and evaluation of representative samples of each item of equipment to determine the key attributes, develop test methods, and establish minimum performance requirements for each essential attribute. In addition to the highly technical standards, OLES also produces technical reports and user guidelines that explain in nontechnical terms the capabilities of available equipment.

The *National Law Enforcement and Corrections Technology Center* (NLECTC), operated by a grantee, which supervises a national compliance testing program conducted by independent laboratories. The standards developed by OLES serve as performance benchmarks against which commercial equipment is measured. The facilities, personnel, and testing capabilities of the independent laboratories are evaluated by OLES prior to testing each item of equipment, and OLES helps the NLECTC staff review and analyze data. Test results are published in Equipment Performance Reports designed to help justice system procurement officials make informed purchasing decisions.

Publications are available at no charge through the National Law Enforcement and Corrections Technology Center. Some documents are also available online through the Internet/World Wide Web. To request a document or additional information, call 800-248-2742 or 301-519-5060, or write:

National Law Enforcement and Corrections Technology Center  
P.O. Box 1160  
Rockville, MD 20849-1160  
E-Mail: [asknlectc@nlectc.org](mailto:asknlectc@nlectc.org)  
World Wide Web address: <http://www.nlectc.org>

This document is not intended to create, does not create, and may not be relied upon to create any rights, substantive or procedural, enforceable at law by any party in any matter civil or criminal.

Opinions or points of view expressed in this document represent a consensus of the authors and do not necessarily represent the official position or policies of the U.S. Department of Justice. The products and manufacturers discussed in this document are presented for informational purposes only and do not constitute product approval or endorsement by the U.S. Department of Justice.

The National Institute of Justice is a component of the Office of Justice Programs, which also includes the Bureau of Justice Assistance, the Bureau of Justice Statistics, the Office of Juvenile Justice and Delinquency Prevention, and the Office for Victims of Crime.
---

## **Guide for the Selection of Chemical and Biological Decontamination Equipment for Emergency First Responders**

### **NIJ Guide 103–00 Volume I**

Dr. Alim A. Fatah<sup>1</sup>  
John A. Barrett<sup>2</sup>  
Richard D. Arcilesi, Jr.<sup>2</sup>  
Dr. Kenneth J. Ewing<sup>2</sup>  
Charlotte H. Lattin<sup>2</sup>  
Michael S. Helinski<sup>2</sup>  
Imran A. Baig<sup>2</sup>

Coordination by:  
Office of Law Enforcement Standards  
National Institute of Standards and Technology  
Gaithersburg, MD 20899–8102

Prepared for:  
National Institute of Justice  
Office of Science and Technology  
Washington, DC 20531

October 2001

This document was prepared under CBIAC contract number  
SPO–900–94–D–0002 and Interagency Agreement M92361 between  
NIST and the Department of Defense Technical Information Center (DTIC).

NCJ 189724

---

<sup>1</sup>National Institute of Standards and Technology, Office of Law Enforcement Standards.

<sup>2</sup>Battelle Memorial Institute.



## **National Institute of Justice**

Sarah V. Hart  
Director

The authors wish to thank Ms. Kathleen Higgins of the National Institute of Standards and Technology (NIST) for programmatic support and for numerous valuable discussions concerning the contents of this document. Mr. Bill Haskell of SBCCOM, Ms. Laurel O'Conner of SBCCOM, Ms. Priscilla S. Golden of General Physics, and Mr. Todd Brethauer representing the Technical Support Working Group (TSWG) also reviewed the document and provided numerous useful comments. In addition, the authors want to acknowledge and thank the emergency first responders who reviewed the document and responded with positive and helpful comments:

Battalion Chief Wes Thomas of the Downers Grove (Illinois) Fire Department, Lieutenant Richard Parker of the Boston Fire Department, and Sergeant Michael Waser of the New York City Police Department.

We wish to acknowledge the Interagency Board (IAB) for Equipment Standardization and Interoperability. The IAB (made up of government and first responder representatives) was commissioned by the Attorney General of the United States in conjunction with the Department of Defense's Director of Military Support. The IAB was established to ensure equipment standardization and interoperability and to oversee the research and development of advanced technologies to assist first responders at the State and local levels in establishing and maintaining a robust crisis and consequence management capability.<sup>3</sup>

We also sincerely thank all vendors who provided us with information about their products.

The technical effort to develop this guide was conducted  
under Interagency Agreement 94-IJ-R-004,  
Project No. 99-060-CBW.

This guide was prepared by the Office of Law Enforcement  
Standards (OLES) of the National Institute of Standards  
and Technology (NIST) under the direction of  
Dr. Alim A. Fatah, Program Manager for  
Chemical Systems and Materials, and  
Kathleen M. Higgins, Director of OLES.

---

<sup>3</sup>The Marshall Convention, Standardized Weapons of Mass Destruction (WMD) Response Force Equipment and InterOperability, 2 to 4 November 1999.

## **FOREWORD**

The Office of Law Enforcement Standards (OLES) of the National Institute of Standards and Technology (NIST) furnishes technical support to the National Institute of Justice (NIJ) program to support law enforcement and criminal justice in the United States. OLES's function is to develop standards and conduct research that will assist law enforcement and criminal justice agencies in the selection and procurement of quality equipment.

OLES is: (1) subjecting existing equipment to laboratory testing and evaluation, and (2) conducting research leading to the development of several series of documents, including national standards, user guides, and technical reports.

This document covers research conducted by OLES under the sponsorship of the NIJ. Additional reports as well as other documents are being issued under the OLES program in the areas of protective clothing and equipment, communications systems, emergency equipment, investigative aids, security systems, vehicles, weapons, and analytical techniques and standard reference materials used by the forensic community.

Technical comments and suggestions concerning this guide are invited from all interested parties. They may be addressed to the Office of Law Enforcement Standards, National Institute of Standards and Technology, 100 Bureau Drive, Stop 8102, Gaithersburg, MD 20899-8102.

Sarah V. Hart, Director  
National Institute of Justice

## CONTENTS

FOREWORD.....	iii
COMMONLY USED SYMBOLS AND ABBREVIATIONS .....	vii
ABOUT THIS REPORT.....	ix
1. INTRODUCTION .....	1
2. DESCRIPTION OF CHEMICAL AGENTS, TOXIC INDUSTRIAL MATERIALS, AND BIOLOGICAL AGENTS .....	3
2.1 Chemical Agents.....	3
2.2 Toxic Industrial Materials (TIMs) .....	8
2.3 Biological Agents.....	11
3. OVERVIEW OF CB DECONTAMINATION ... ..	19
3.1 Decontamination Process.....	19
3.2 Decontamination Applications.....	22
3.3 Support Equipment .....	24
4. INTRODUCTION TO CB DECONTAMINANTS .....	27
4.1 Physical Decontaminants .....	27
4.2 Chemical Decontaminants .....	29
5. OVERVIEW OF EMERGENCY FIRST RESPONDER INITIATIVES FOR CB DECONTAMINATION .....	33
6. SELECTION FACTORS .....	35
6.1 Chemical Agents Decontaminated.....	35
6.2 Biological Agents Decontaminated .....	35
6.3 TIMs Decontaminated.....	35
6.4 Functional Application.....	35
6.5 Capacity/Throughput .....	36
6.6 Effectiveness of Decontamination.....	36
6.7 Set-Up Time.....	36
6.8 Power Capabilities .....	36
6.9 Operational Environment .....	36
6.10 Durability .....	36
6.11 Resources .....	36
6.12 Operator Skill Level.....	37
6.13 Training Requirements.....	37
7. DECONTAMINATION EQUIPMENT EVALUATION .....	39
7.1 Functional Application Categories .....	39
7.2 Evaluation Results.....	39
APPENDIX A—RECOMMENDED QUESTIONS ON DECONTAMINATION EQUIPMENT .....	A-1
APPENDIX B—REFERENCES.....	B-1
APPENDIX C—DECONTAMINATION SHELTERS .....	C-1
APPENDIX D—DECONTAMINATION EQUIPMENT TRAILER .....	D-1
APPENDIX E—INDEX BY DECONTAMINANT NAME.....	E-1
APPENDIX F—DECONTAMINANT DATA SHEETS .....	F-1
APPENDIX G—EPA LETTER ADDRESSING HAZARDOUS RUNOFF .....	G-1

APPENDIX H—FIRST RESPONDERS’ ENVIRONMENTAL LIABILITY DUE TO  
MASS DECONTAMINATION RUNOFF ..... H-1

## TABLES

Table 2-1.	Physical and chemical properties of common nerve agents .....	4
Table 2-2.	Physical and chemical properties of common blister agents .....	7
Table 2-3.	Physical and chemical properties of TIMs.....	9
Table 2-4.	TIMs listed by hazard index .....	10
Table 2-5.	Bacterial agents.....	13
Table 2-6.	Viral agents .....	15
Table 2-7.	Rickettsiae.....	17
Table 2-8.	Biological toxins .....	18
Table 6-1.	Selection factor key for decontamination equipment .....	38
Table 7-1.	Evaluation results reference table .....	40
Table 7-2.	Decontamination applications.....	40
Table 7-3.	Personnel decontamination equipment .....	41
Table 7-4.	Equipment decontamination systems.....	46
Table 7-5.	Infrastructure decontamination equipment .....	52
Table 7-6.	Selection factor key for decontamination equipment .....	53

## FIGURES

Figure 3-1.	Decontamination Kit, Personal No. 2, Mark 1 .....	20
Figure 3-2.	K1-05 standard unit .....	21
Figure 3-3.	Karcher HDS 1200 EK high-pressure steam jet cleaner unit.....	21
Figure 3-4.	Decontamination Kit, Individual Equipment: M295.....	21
Figure 3-5.	Karcher mobile field laundry CFL 60 .....	22
Figure 3-6.	Karcher AEDA1 decontamination equipment.....	22
Figure 3-7.	NBC-DEWDECON-PERS Emergency Response Personnel Decontamination Kit.....	23
Figure 3-8.	Karcher MPDS multipurpose decontamination system.....	23
Figure 3-9.	Karcher C8-DADS direct application decontamination system.....	24
Figure 3-10.	TVI first response shelter .....	24
Figure 3-11.	TVI Quick-E WMD command post.....	24
Figure 3-12.	SC spill containment single shower stall with dressing room.....	25
Figure 3-13.	SC spill containment single decon unit with bladder .....	25

## COMMONLY USED SYMBOLS AND ABBREVIATIONS

A	ampere	h	hour	o.d.	outside diameter
ac	alternating current	hf	high frequency	$\Omega$	ohm
AM	amplitude modulation	Hz	hertz	p.	page
cd	candela	i.d.	inside diameter	Pa	pascal
cm	centimeter	in	inch	pe	probable error
CP	chemically pure	IR	infrared	pp.	pages
c/s	cycle per second	J	joule	ppm	parts per million
d	day	L	lambert	qt	quart
dB	decibel	L	liter	rad	radian
dc	direct current	lb	pound	rf	radio frequency
°C	degree Celsius	lbf	pound-force	rh	relative humidity
°F	degree Fahrenheit	lbf·in	pound-force inch	s	second
dia	diameter	lm	lumen	SD	standard deviation
emf	electromotive force	ln	logarithm (base e)	sec.	section
eq	equation	log	logarithm (base 10)	SWR	standing wave ratio
F	farad	M	molar	uhf	ultrahigh frequency
fc	footcandle	m	meter	UV	ultraviolet
fig.	figure	min	minute	V	volt
FM	frequency modulation	mm	millimeter	vhf	very high frequency
ft	foot	mph	miles per hour	W	watt
ft/s	foot per second	m/s	meter per second	N	newton
g	acceleration	mo	month	$\lambda$	wavelength
g	gram	N·m	newton meter	wk	week
gr	grain	nm	nanometer	wt	weight
H	henry	No.	number	yr	year

area=unit<sup>2</sup> (e.g., ft<sup>2</sup>, in<sup>2</sup>, etc.); volume=unit<sup>3</sup> (e.g., ft<sup>3</sup>, m<sup>3</sup>, etc.)

### ACRONYMS SPECIFIC TO THIS DOCUMENT

CB	Chemical and Biological	LCt <sub>50</sub>	(Lethal Concentration Time) <sub>50</sub>
DETA	Diethylenetriamine	NFPA	National Fire Protection Association
DS2	Decontaminating Solution 2	PPE	Personal Protection Equipment
SF	Selection Factor	SDK	Skin Decontamination Kit
EGME	Ethylene Glycol Monomethylether	TBD	To Be Determined
IDLH	Immediately Dangerous to Life and Health	TICs	Toxic Industrial Chemicals
IAB	Interagency Board	TIMs	Toxic Industrial Materials

### PREFIXES (See ASTM E380)

d	deci (10 <sup>-1</sup> )	da	deka (10)
c	centi (10 <sup>-2</sup> )	h	hecto (10 <sup>2</sup> )
m	milli (10 <sup>-3</sup> )	k	kilo (10 <sup>3</sup> )
$\mu$	micro (10 <sup>-6</sup> )	M	mega (10 <sup>6</sup> )
n	nano (10 <sup>-9</sup> )	G	giga (10 <sup>9</sup> )
p	pico (10 <sup>-12</sup> )	T	tera (10 <sup>12</sup> )

### COMMON CONVERSIONS

0.30480 m = 1 ft	4.448222 N = 1 lbf
2.54 cm = 1 in	1.355818 J = 1 ft·lbf
0.4535924 kg = 1 lb	0.1129848 N·m = 1 lbf·in
0.06479891 g = 1 gr	14.59390 N/m = 1 lbf/ft
0.9463529 L = 1 qt	6894.757 Pa = 1 lbf/in <sup>2</sup>
3600000 J = 1 kW·hr	1.609344 km/h = 1 mph
psi = mm of Hg x (1.9339 x 10 <sup>-2</sup> )	
mm of Hg = psi x 51.71	

$$\text{Temperature: } T_{\text{°C}} = (T_{\text{°F}} - 32) \times 5/9$$

$$\text{Temperature: } T_{\text{°F}} = (T_{\text{°C}} \times 9/5) + 32$$



## ABOUT THIS REPORT

The National Institute of Justice is the focal point for providing support to State and local law enforcement agencies in the development of counterterrorism technology and standards, including technological needs for chemical and biological defense. In recognizing the needs of State and local emergency first responders, the Office of Law Enforcement Standards (OLEs) at the National Institute of Standards and Technology (NIST), working with the National Institute of Justice, the Technical Support Working Group, the U.S. Army Soldier and Biological Chemical Command, and the Interagency Board, is developing chemical and biological defense equipment guides. The guides will focus on chemical and biological equipment in areas of detection, personal protection, decontamination, and communication. This document focuses specifically on chemical and biological decontamination equipment and was developed to assist the emergency first responder community in the evaluation and purchase of decontamination equipment.

The long range plans are to: (1) subject existing decontamination equipment to laboratory testing and evaluation against a specified protocol, and (2) conduct research leading to the development of multiple series of documents, including national standards, user guides, and technical reports. It is anticipated that the testing, evaluation, and research processes will take several years to complete; therefore, the National Institute of Justice has developed this initial guide for the emergency first responder community in order to facilitate their evaluation and purchase of decontamination equipment.

In conjunction with this program, additional guides, as well as other documents, are being issued in the areas of chemical agent and toxic industrial material detection equipment, biological agent detection equipment, personal protective equipment, medical kits and equipment, and communications equipment used in conjunction with protective clothing and respiratory equipment.

The information contained in this guide has been obtained through literature searches and market surveys. The vendors were contacted multiple times during the preparation of this guide to ensure data accuracy. In addition, the information is supplemented with test data obtained from other sources (e.g., Department of Defense) if available. It should also be noted that the purpose of this guide is not to provide recommendations but rather to serve as a means to provide information to the reader to compare and contrast commercially available decontamination equipment. *Reference herein to any specific commercial products, processes, or services by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government. The information and statements contained in this guide shall not be used for the purposes of advertising, nor to imply the endorsement or recommendation of the United States Government.*

*With respect to information provided in this guide, neither the United States Government nor any of its employees make any warranty, expressed or implied, including but not limited to the warranties of merchantability and fitness for a particular purpose. Further, neither the United States Government nor any of its employees assume any legal liability or responsibility for the*

*accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed.*

Technical comments, suggestions, and product updates are encouraged from interested parties. They may be addressed to the Office of Law Enforcement Standards, National Institute of Standards and Technology, 100 Bureau Drive, Stop 8102, Gaithersburg, MD 20899–8102. It is anticipated that this guide will be updated periodically.

Questions relating to the specific devices included in this document should be addressed directly to the proponent agencies or the equipment manufacturers. Contact information for each equipment item included in this guide can be found in Volume II of this guide.

# 1. INTRODUCTION

This guide includes information that is intended to assist the emergency first responder community select chemical agent, biological agent, and toxic industrial material decontamination techniques and equipment for different applications. It includes a thorough market survey of decontamination equipment known to the authors as of September 2000. Brief technical discussions are presented that consider the principles of operation of several pieces of equipment. These may be ignored by readers who find them too technical, while those wanting additional information can obtain it from the extensive list of references that is included in appendix B.

This guide describes equipment suitable for decontamination of personnel, equipment, and facilities, and it offers effectiveness in qualitative terms. It does not address detection methods or protocols for quantitatively determining decontamination effectiveness, standards for release of equipment of facilities for unrestricted use following exposure to a chemical agent (CA), biological agent (BA), or toxic industrial material (TIM) after decontamination, or who is authorized or will take responsibility for making that determination. For the remainder of this guide when chemical agent and TIM decontamination are referred to collectively, they will be referred to as chemical decontamination.

The primary purpose of this guide is to provide emergency first responders with information that should aid them in the selection and utilization of chemical and/or biological (CB) decontamination equipment. The guide is more practical than technical and provides information on a variety of factors that can be considered when purchasing decontamination equipment: functional application, capacity/throughput, and effectiveness.

Due to the high number of CB decontamination equipment items identified in this guide, the guide is separated into two volumes. Volume I represents the actual guide. Volume II serves as a supplement to Volume I and contains the CB decontamination equipment data sheets only.

This guide contains information that should aid emergency first responders in the selection and utilization of CB decontamination equipment. Readers finding this material too technical can omit this information while still making use of the rest of the guide, and readers desiring more technical detail can obtain it from the references listed in appendix B and the data sheets provided in Volume II. Volume I is divided into several sections. Section 2 provides an introduction to chemical agents, TIMs, and biological agents. Specifically, it discusses CB agents by providing overviews, physical and chemical properties, routes of entry, and symptoms. It also discusses the 98 TIMs that are considered in this guide. Section 3 presents an overview to CB decontamination. Section 4 presents an overview of the identified decontaminants. Section 5 presents an overview of the initiatives taken by emergency first responders for CB decontamination. Section 6 discusses various characteristics and performance parameters that are used to evaluate decontamination equipment in this guide. These characteristics and performance parameters are referred to as selection factors in the remainder of this guide. Thirteen selection factors have been identified. These factors were compiled by a panel of experienced scientists and engineers with multiple years of experience in chemical and biological decontamination, domestic preparedness, and identification of emergency first responder needs.

The factors have also been shared with the emergency responder community to get their thoughts and comments. Section 7 presents several tables that allow the reader to compare and contrast the different decontamination equipment utilizing the 13 selection factors.

Eight appendices are included within this guide. Appendix A lists questions that could assist emergency first responders selecting decontamination equipment. Appendix B lists the documents that are referenced in this guide. Appendix C contains a listing of commercially available decontamination shelters. Appendix D provides an example of a decontamination equipment trailer. Appendix E provides an index of the decontaminant data sheets. Appendix F provides chemical decontaminant data sheets. Appendix G includes a letter from the Environmental Protection Agency (EPA) that addresses handling of hazardous runoff from decontamination operations and liabilities. Appendix H is an EPA publication regarding the first responders' environmental liability due to decontamination runoff.

## **2. DESCRIPTION OF CHEMICAL AGENTS, TOXIC INDUSTRIAL MATERIALS, AND BIOLOGICAL AGENTS**

This section describes chemical agents (CAs), toxic industrial materials (TIMs), and biological agents (BAs). Section 2.1 discusses chemical agents, section 2.2 discusses TIMs, and section 2.3 discusses biological agents.

### **2.1 Chemical Agents**

Chemical agents are chemical substances that are intended for use in warfare or terrorist activities to kill, seriously injure, or seriously incapacitate people through their physiological effects. A chemical agent attacks the organs of the human body in such a way that it prevents those organs from functioning normally. The results are usually disabling or even fatal.

The most common chemical agents are the nerve agents, GA (Tabun), GB (Sarin), GD (Soman), GF, and VX; the blister agents, HD (sulfur mustard) and HN (nitrogen mustard); and the arsenical vesicants, L (Lewisite). Other toxic chemicals such as hydrogen cyanide (characterized as a chemical blood agent by the military) are included as TIMs under section 2.2 of this guide. There are also toxic chemicals derived from living organisms, generically termed toxins. Toxins are included under section 2.5 of this guide.

#### **2.1.1 Nerve Agents**

This section provides an overview of nerve agents. A discussion of their physical and chemical properties, their routes of entry, and descriptions of symptoms are also provided.

##### **2.1.1.1 Overview**

Among lethal chemical agents, nerve agents have had an entirely dominant role since World War II. Nerve agents acquired their name because they affect the transmission of impulses in the nervous system. All nerve agents belong to the chemical group of organo-phosphorus compounds; many common herbicides and pesticides also belong to this chemical group. Nerve agents are stable, easily dispersed, highly toxic, and have rapid effects when absorbed both through the skin and the respiratory system. Nerve agents can be manufactured by means of fairly simple chemical techniques. The raw materials are inexpensive, but some are subject to the controls of the Chemical Weapons Convention and the Australia Group Agreement.

##### **2.1.1.2 Physical and Chemical Properties**

The nerve agents considered in this guide are:

- GA: A low volatility persistent chemical agent that is taken up through skin contact and inhalation of the substance as a gas or aerosol. Volatility refers to a substance's ability to become a vapor at relatively low temperatures. A highly volatile

(nonpersistent) substance poses a greater respiratory hazard than a less volatile (persistent) substance.

- GB: A volatile nonpersistent chemical agent mainly taken up through inhalation.
- GD: A moderately volatile chemical agent that can be taken up by inhalation or skin contact.
- GF: A low volatility persistent chemical agent that is taken up through skin contact and inhalation of the substance either as a gas or aerosol.
- VX: A low volatility persistent chemical agent that can remain on material, equipment, and terrain for long periods. Uptake is mainly through the skin but also through inhalation of the substance as a gas, aerosol, or contaminated dust.

Nerve agents in the pure state are colorless liquids. Their volatility varies widely. The consistency of VX may be likened to motor oil and is therefore classified as belonging to the group of persistent chemical agents. VX effect is mainly through direct contact with the skin. GB is at the opposite extreme; being an easily volatile liquid (comparable with water), it is mainly taken up through the respiratory organs. The volatilities of GD, GA, and GF are between those of GB and VX. Table 2-1 lists the common nerve agents and some of their physical and chemical properties. Water is included in the table as a reference point for the nerve agents.

**Table 2-1. Physical and chemical properties of common nerve agents**

Property	GA	GB	GD	GF	VX	Water
Molecular Weight	162.3	140.1	182.2	180.2	267.4	18
Density, g/cm <sup>3</sup> *	1.073	1.089	1.022	1.120	1.008	1
Boiling point, °F	464	316	388	462	568	212
Melting point, °F	18	-69	-44	-22	< -60	32
Vapor pressure, mm Hg *	0.07	2.9	0.4	0.06	0.0007	23.756
Volatility, mg/m <sup>3</sup> *	610	22000	3900	600	10.5	23010
Solubility in water, % *	10	Miscible with water	2	~2	Slightly	NA

\*at 77 °F

### 2.1.1.3 Route of Entry

Nerve agents, either as a gas, aerosol, or liquid, enter the body through inhalation or through the skin. Poisoning may also occur through consumption of liquids or foods contaminated with nerve agents.

The route of entry also influences the symptoms developed and, to some extent, the sequence of the different symptoms. Generally, the poisoning works most rapidly when the agent is absorbed through the respiratory system, rather than other routes, because the lungs contain numerous blood vessels and the inhaled nerve agent can quickly diffuse into the blood circulation and thus reach the target organs. Among these organs, the respiratory system is one of the most

important. If a person is exposed to a high concentration of nerve agent (e.g., 200 mg sarin/m<sup>3</sup>), death may occur within a couple of minutes.

The poisoning works slower when the agent is absorbed through the skin. Since nerve agents are somewhat fat-soluble, they can easily penetrate the outer layers of the skin, but it takes longer for the poison to reach the deeper blood vessels. Consequently, the first symptoms do not occur until 20 min to 30 min after the initial exposure, but subsequently, the poisoning process may be rapid if the total dose of nerve agent is high.

#### **2.1.1.4 Symptoms**

When exposed to a low dose of nerve agent, sufficient to cause minor poisoning, the victim experiences characteristic symptoms such as increased production of saliva, a runny nose, and a feeling of pressure on the chest. The pupil of the eye becomes contracted (miosis), which impairs night-vision. In addition, the capacity of the eye to change focal length is reduced, and short-range vision deteriorates causing the victim to feel pain when trying to focus on nearby objects. This is accompanied by a headache. Less specific symptoms are tiredness, slurred speech, hallucinations, and nausea.

Exposure to a higher dose leads to more dramatic developments, and symptoms are more pronounced. Bronchoconstriction and secretion of mucus in the respiratory system leads to difficulty in breathing and to coughing. Discomfort in the gastrointestinal tract may develop into cramping and vomiting, and there may be involuntary discharge of urine and defecation. There may be excessive salivating, tearing, and sweating. If the poisoning is moderate, typical symptoms affecting the skeletal muscles may be muscular weakness, local tremors, or convulsions.

When exposed to a high dose of nerve agent, the muscular symptoms are more pronounced and the victim may suffer convulsions and lose consciousness. The poisoning process may be so rapid that symptoms mentioned earlier may never have time to develop.

Nerve agents affect the respiratory muscles causing muscular paralysis. Nerve agents also affect the respiratory center of the central nervous system. The combination of these two effects is the direct cause of death. Consequently, death caused by nerve agents is similar to death by suffocation.

#### **2.1.2 Blister Agents (Vesicants)**

This section provides an overview of blister agents. A discussion of their physical and chemical properties, their routes of entry, and descriptions of symptoms is also provided.

##### **2.1.2.1 Overview**

There are two major families of blister agents: sulfur mustard (HD) and nitrogen mustard (HN), and the arsenical agent: Lewisite (L). All blister agents are persistent and may be employed in the form of colorless gases and liquids. They burn and blister the skin or any other part of the

body they contact. Blister agents are likely to be used to produce casualties rather than to kill, although exposure to such agents can be fatal.

### **2.1.2.2 Physical and Chemical Properties**

In its pure state, mustard agent is colorless and almost odorless. It earned its name as a result of an early production method that resulted in an impure product with a mustard-like odor. Mustard agent is also claimed to have a characteristic odor similar to rotten onions. However, the sense of smell is dulled after only a few breaths so that the smell can no longer be distinguished. In addition, mustard agent can cause injury to the respiratory system in concentrations that are so low that the human sense of smell cannot distinguish them.

At room temperature, mustard agent is a liquid with low volatility and is very stable during storage. Mustard agent can easily be dissolved in most organic solvents but has negligible solubility in water. In aqueous solutions, mustard agent decomposes into nonpoisonous products by means of hydrolysis but since only dissolved mustard agent reacts, the decomposition proceeds very slowly. Oxidants such as chloramines (see 4.2.1, Oxidizing Agents, for chloramine action), however, react violently with mustard agent, forming nonpoisonous oxidation products. Consequently, these substances are used for the decontamination of mustard agent.

Arsenical vesicants are not as common or as stable as the sulfur or nitrogen mustards. All arsenical vesicants are colorless to brown liquids. They are more volatile than mustard and have fruity to geranium-like odors. These types of vesicants are much more dangerous as liquids than as vapors. Absorption of either vapor or liquid through the skin in adequate dosage may lead to systemic intoxication or death. The physical and chemical properties of the most common blister agents are listed in table 2–2. Water is included in the table as a reference point for the blister agents (see table 2–2).



**Table 2–2. Physical and chemical properties of common blister agents**

Property	HD	HN-1	HN-2	HN-3	L	Water
Molecular Weight	159.1	170.1	156.1	204.5	207.4	18
Density, g/cm <sup>3</sup>	1.27 at 68 °F	1.09 at 77 °F	1.15 at 68 °F	1.24 at 77 °F	1.89 at 68 °F	1 at 77 °F
Boiling point, °F	421	381	167 at 15 mm Hg	493	374	212
Freezing point, °F	58	-61.2	-85	-26.7	64.4 to 32.18	32
Vapor pressure, mm Hg	0.072 at 68 °F	0.24 at 77 °F	0.29 at 68 °F	0.0109 at 77 °F	0.394 at 68 °F	23.756 at 77 °F
Volatility, mg/m <sup>3</sup>	610 at 68 °F	1520 at 68 °F	3580 at 77 °F	121 at 77 °F	4480 at 68 °F	23010 at 77 °F
Solubility in water, %	<1 %	Sparingly	Sparingly	Insoluble	Insoluble	NA

### **2.1.2.3 Route of Entry**

Most blister agents are relatively persistent and are readily absorbed by all parts of the body. Poisoning may also occur through consumption of liquids or foods contaminated with blister agents. These agents cause inflammation, blisters, and general destruction of tissues. In the form of gas or liquid, mustard agent attacks the skin, eyes, lungs, and gastrointestinal tract. Internal organs, mainly blood-generating organs (e.g., marrow, spleen, and lymphatic tissue), may also be injured as a result of mustard agent being taken up through the skin or lungs and transported into the body. Since mustard agent gives no immediate symptoms upon contact, a delay of between 2 h and 24 h may occur before pain is felt and the victim becomes aware of what has happened. By then, cell damage has already occurred. The delayed effect is a characteristic of mustard agent.

In general, vesicants can penetrate the skin by contact with either liquid or vapor. The latent period for the effects from mustard is usually several hours (the onset of symptoms from vapors is 4 h to 6 h and the onset of symptoms from skin exposure is 2 h to 48 h). There is no latent period for exposure to Lewisite.

### **2.1.2.4 Symptoms**

Mild symptoms of mustard agent poisoning may include aching eyes with excessive tearing, inflammation of the skin, irritation of the mucous membranes, hoarseness, coughing, and sneezing. Normally, these injuries do not require medical treatment.

Severe injuries that are incapacitating and require medical care may involve eye injuries with loss of sight, the formation of blisters on the skin, nausea, vomiting, and diarrhea together with severe difficulty in breathing. Severe damage to the eye may lead to the total loss of vision.

The most pronounced effects on inner organs are injury to the bone marrow, spleen, and lymphatic tissue. This may cause a drastic reduction in the number of white blood cells 5 d to 10 d after exposure; a condition very similar to that after exposure to radiation. This reduction of the immune defense will complicate the already large risk of infection in people with severe skin and lung injuries.

The most common cause of death as a result of mustard agent poisoning is complications after lung injury caused by inhalation of mustard agent. Most of the chronic and late effects from mustard agent poisoning are also caused by lung injuries.

## **2.2 Toxic Industrial Materials (TIMs)**

This section provides a general overview of TIMs as well as a list of the specific TIMs considered in this guide. Since the chemistry of TIMs is so varied, it is not feasible to discuss specific routes of entry and descriptions of symptoms. Several documents, including *2000 Emergency Response Guidebook (A Guidebook for First Responders During the Initial Phase of a Dangerous Goods/Hazardous Materials Incident)*, provide more detailed information about TIMs (see app. B).

TIMs are chemicals other than chemical warfare agents that have harmful effects on humans. TIMs, often referred to as toxic industrial chemicals, or TICs, are used in a variety of settings such as manufacturing facilities, maintenance areas, and general storage areas. While exposure to some of these chemicals may not be immediately dangerous to life and health (IDLH), these compounds may have extremely serious effects on an individual's health after multiple low-level exposures.

### **2.2.1 General**

A TIM is a *specific type* of industrial chemical, i.e., one that has a  $LCt_{50}$  value (lethal concentration of a chemical vapor or aerosol for 50 % of the population multiplied by exposure time) less than 100000 mg/min/m<sup>3</sup> in any mammalian species and is produced in quantities exceeding 30 tons per year at one production facility. Although they are not as lethal as the highly toxic nerve agents, their ability to make a significant impact on the populace is assumed to be more related to the amount of chemical a terrorist can employ on the target(s) and less related to their lethality. None of these compounds are as highly toxic as the nerve agents, but they are produced in very large quantities (multi-ton) and are readily available; therefore, they pose a far greater threat than chemical agents. For instance, sulfuric acid is not as lethal as the nerve agents, but it is easier to disseminate large quantities of sulfuric acid because large amounts of it are manufactured and transported everyday. It is assumed that a balance is struck between the lethality of a material and the amount of materials produced worldwide. Materials such as the nerve agents are so lethal as to be in a special class of chemicals.

Since TIMs are less lethal than the highly toxic nerve agents, it is more difficult to determine how to rank their potential for use by a terrorist. Physical and chemical properties for TIMs such as ammonia, chlorine, cyanogen chloride, and hydrogen cyanide are presented in table 2–3. Water is included in the table as a reference point for the TIMs. The physical and chemical

properties for the remaining TIMs identified in this guide can be found in International Task Force 25: *Hazard From Industrial Chemicals Final Report, April 1998* (see app. B).

**Table 2–3. Physical and chemical properties of TIMs**

Property	Ammonia	Chlorine	Cyanogen Chloride	Hydrogen Cyanide	Water
Molecular weight	17.03	70.9	61.48	27.02	18
Density, g/cm <sup>3</sup>	0.00077 at 77 °F	3.214 at 77 °F	1.18 at 68 °F	0.990 at 68 °F	1 at 77 °F
Boiling point, °F	-28	-30	55	78	212
Freezing point, °F	-108	-150	20	8	32
Vapor pressure, mm Hg at 77 °F	7408	5643	1000	742	23.756
Volatility, mg/m <sup>3</sup>	6782064 at 77 °F	21508124 at 77 °F	2600000 at 68 °F	1080000 at 77 °F	23010 at 77 °F
Solubility in water, %	89.9	1.5	Slightly	Highly soluble	NA

## 2.2.2 TIM Rankings

TIMs are ranked into one of three categories that indicate their relative importance and assist in hazard assessment. Table 2–4 lists the TIMs with respect to their hazard index ranking (high, medium, or low hazard).<sup>4</sup>

### 2.2.2.1 High Hazard

High hazard indicates a widely produced, stored, or transported TIM, that has high toxicity and is easily vaporized.

### 2.2.2.2 Medium Hazard

Medium hazard indicates a TIM, which may rank high in some categories but lower in others such as number of producers, physical state, or toxicity.

### 2.2.2.3 Low Hazard

A low hazard overall ranking indicates that this TIM is not likely to be a hazard unless specific operational factors indicate otherwise.

<sup>4</sup> Summary of the Final Report of the International Task Force 25 Hazard from Industrial Chemicals, 15 April 1999.

**Table 2–4. TIMs listed by hazard index**

High	Medium	Low
Ammonia	Acetone cyanohydrin	Allyl isothiocyanate
Arsine	Acrolein	Arsenic trichloride
Boron trichloride	Acrylonitrile	Bromine
Boron trifluoride	Allyl alcohol	Bromine chloride
Carbon disulfide	Allylamine	Bromine pentafluoride
Chlorine	Allyl chlorocarbonate	Bromine trifluoride
Diborane	Boron tribromide	Carbonyl fluoride
Ethylene oxide	Carbon monoxide	Chlorine pentafluoride
Fluorine	Carbonyl sulfide	Chlorine trifluoride
Formaldehyde	Chloroacetone	Chloroacetaldehyde
Hydrogen bromide	Chloroacetonitrile	Chloroacetyl chloride
Hydrogen chloride	Chlorosulfonic acid	Crotonaldehyde
Hydrogen cyanide	Diketene	Cyanogen chloride
Hydrogen fluoride	1,2-Dimethylhydrazine	Dimethyl sulfate
Hydrogen sulfide	Ethylene dibromide	Diphenylmethane-4,4'-diisocyanate
Nitric acid, fuming	Hydrogen selenide	Ethyl chloroformate
Phosgene	Methanesulfonyl chloride	Ethyl chlorothioformate
Phosphorus trichloride	Methyl bromide	Ethyl phosphonothioic dichloride
Sulfur dioxide	Methyl chloroformate	Ethyl phosphonic dichloride
Sulfuric acid	Methyl chlorosilane	Ethyleneimine
Tungsten hexafluoride	Methyl hydrazine	Hexachlorocyclopentadiene
	Methyl isocyanate	Hydrogen iodide
	Methyl mercaptan	Iron pentacarbonyl
	Nitrogen dioxide	Isobutyl chloroformate
	Phosphine	Isopropyl chloroformate
	Phosphorus oxychloride	Isopropyl isocyanate
	Phosphorus pentafluoride	n-Butyl chloroformate
	Selenium hexafluoride	n-Butyl isocyanate
	Silicon tetrafluoride	Nitric oxide
	Stibine	n-Propyl chloroformate
	Sulfur trioxide	Parathion
	Sulfuryl chloride	Perchloromethyl mercaptan
	Sulfuryl fluoride	sec-Butyl chloroformate
	Tellurium hexafluoride	tert-Butyl isocyanate
	n-Octyl mercaptan	Tetraethyl lead
	Titanium tetrachloride	Tetraethyl pyrophosphate
	Trichloroacetyl chloride	Tetramethyl lead
	Trifluoroacetyl chloride	Toluene 2,4-diisocyanate
		Toluene 2,6-diisocyanate

## **2.3 Biological Agents**

This section provides a description of the biological agents likely to be used in a terrorist attack. There are four categories under discussion: bacterial agents (sec. 2.3.1), viral agents (sec. 2.3.2), rickettsiae (sec. 2.3.3), and biological toxins (sec. 2.3.4).

### **2.3.1 Bacterial Agents**

Bacteria are small, single-celled organisms, most of which can be grown on solid or liquid culture media. Under special circumstances, some types of bacteria can transform into spores that are more resistant to cold, heat, drying, chemicals, and radiation than the bacterium itself. Most bacteria do not cause disease in human beings but those that do cause disease by two differing mechanisms: by invading the tissues or by producing poisons (toxins). Many bacteria, such as anthrax, have properties that make them attractive as potential warfare agents:

- Retained potency during growth and processing to the end product (biological weapon).
- Long “shelf-life.”
- Low biological decay as an aerosol.

Other bacteria require stabilizers to improve their potential for use as biological weapons. Table 2–5 lists some of the common bacterial agents along with possible methods of dissemination, incubation period, symptoms, and treatment.

### **2.3.2 Viral Agents**

Viruses are the simplest type of microorganism and consist of a nucleocapsid protein coat containing genetic material, either RNA or DNA. Because viruses lack a system for their own metabolism, they require living hosts (cells of an infected organism) for replication. As biological agents, they are attractive because many do not respond to antibiotics. However, their incubation periods are normally longer than for other biological agents, so incapacitation of victims may be delayed. Table 2–6 lists the common viral agents along with possible methods of dissemination, incubation period, symptoms, and treatment.

### **2.3.3 Rickettsiae**

Rickettsiae are obligate intracellular bacteria that are intermediate in size between most bacteria and viruses and possess certain characteristics common to both bacteria and viruses. Like bacteria, they have metabolic enzymes and cell membranes, use oxygen, and are susceptible to broad-spectrum antibiotics, but like viruses, they grow only in living cells. Most rickettsiae can be spread only through the bite of infected insects and are not spread through human contact. Table 2–7 lists the common rickettsiae along with possible methods of dissemination, incubation periods, symptoms, and treatment.

#### **2.3.4 Biological Toxins**

Biological toxins are poisons produced by living organisms. It is the poison and not the organism that produces harmful effects in man. A toxin typically develops naturally in a host organism (for example, saxitoxin is produced by marine algae); however, genetically altered and/or synthetically manufactured toxins have been produced in a laboratory environment. Biological toxins are most similar to chemical agents in their dissemination and effectiveness. Table 2–8 lists the common biological toxins along with possible methods of dissemination, incubation period, symptoms, and treatment.

**Table 2- 5. Bacterial agents**

<b>Biological Agent/Disease</b>	<b>Anthrax</b>	<b>Brucellosis</b>	<b>E. coli serotype (O157:H7)</b>	<b>Tularemia</b>	<b>Cholera</b>
<b>Likely Method of Dissemination</b>	1. Spores in aerosol 2. Sabotage (food)	1. Aerosol 2. Sabotage (food)	Water and food supply contamination	1. Aerosol 2. Rabbits or ticks	1. Sabotage (food and water) 2. Aerosol
<b>Transmissible Person to Person</b>	No (except cutaneous)	Unknown	Unknown, evidence passed person-to-person in day-care or nursing homes	No	Rare
<b>Incubation Period</b>	1 d to 43 d	1 wk to 3 wk, sometimes months	Unknown	2 d to 10 d	3 d to 5 d
<b>Duration of Illness</b>	3 d to 5 d (usually fatal)	Unknown	5 d to 10 d (most cases)	>2 wk	>1 wk
<b>Lethality</b>	Contact or cutaneous anthrax: fatality rate of 5 % to 20 % Inhalational anthrax: after symptoms appear almost always fatal, regardless of treatment	Low	0 % to 15 % if develop hemolytic uremic syndrome (HUS); 5 % if develop thrombotic thrombocytopenic purpura (TTP)	Moderate if left untreated	Low (<1 %) with treatment; high (>50 %) without
<b>Vaccine Efficacy (for aerosol exposure)/ Antitoxin</b>	Currently no human data	Vaccine under evaluation	No vaccine	No commercially available vaccine	No data on aerosol
<b>Symptoms and Effects</b>	Flu-like, upper-respiratory distress; fever and shock in 3 d to 5 d, followed by death	Irregular prolonged fever, profuse sweating, chills, joint and muscle pain, persistent fatigue	Gastrointestinal (diarrhea, vomiting) dehydration; in severe cases, cardiac arrest and death, HUS, or TTP	Chills, sustained fever, prostration, tendency for pneumonia, enlarged, painful lymph nodes, headache, malaise, anorexia, nonproductive cough	Sudden onset with nausea, vomiting, diarrhea, rapid dehydration, toxemia and collapse
<b>Treatment</b>	Vaccine available for cutaneous, possibly inhalation, anthrax. Cutaneous anthrax responds to antibiotics (penicillin, terramycin, chloromycetin), sulfadiazine and immune serum. Pulmonary (inhaled) anthrax responds to immune serum in initial stages but is little use after disease is well established. Intestinal, same as for pulmonary	Antibiotics	Antibiotics available; most recover without antibiotics within 5 d to 10 d; do not use antidiarrheal agents	Vaccination using live attenuated organisms reduces severity and transmissibility; antibiotics (streptomycin, aureomycin, chloromycetin, doxycycline, tetracycline, and chloramphenicol)	Replenish fluids and electrolytes; antibiotics (tetracycline, ciprofloxacin, and erythromycin) enhance effectiveness of rehydration and reduce organism in body
<b>Potential as Biological Agent</b>	Iraqi and USSR biological programs worked to develop anthrax as a bio-weapon	Unknown	Unknown	High, if delivered via aerosol form (highly infectious, 90 % to 100 %)	Not appropriate for aerosol delivery

**Table 2- 5. Bacterial agents- Continued**

<b>Biological Agent/Disease</b>	<b>Diphtheria</b>	<b>Glanders</b>	<b>Melioidosis</b>	<b>Plague (Bubonic and Pneumonic)</b>	<b>Typhoid Fever</b>
<b>Likely Method of Dissemination</b>	Unknown	1. Aerosol 2. Cutaneous	1. Food contamination (rodent feces) 2. Inhalation 3. Insect bites 4. Direct contact with infected animals	1. Infected fleas (Bubonic and Pneumonic) 2. Aerosol (Pneumonic)	1. Contact with infected person 2. Contact with contaminated substances
<b>Transmissible Person to Person</b>	High	High	No	High (Pneumonic)	High
<b>Incubation Period</b>	2 d to 5 d	3 d to 5 d	Days	1 d to 3 d	7 d to 14 d
<b>Duration of Illness</b>	Unknown	Unknown	4 d to 20 d	1 d to 6 d (usually fatal)	Unknown
<b>Lethality</b>	5 % to 10 % fatality	50 % to 70 %	Variable	5 % to 10 % if treated <b>Bubonic:</b> 30 % to 75 % if untreated <b>Pneumonic:</b> 95 % if untreated	<1 % if treated; 10 % to 14 % if untreated
<b>Vaccine Efficacy (for aerosol exposure)/ Antitoxin</b>	DPT vaccine 85 % effective; booster recommended every 10 yr	No vaccine	No vaccine	Vaccine not available	Oral vaccine (Vivotif) and single dose injectable vaccine (capsular polysaccharide antigen). Both vaccines are equally effective and offer 65 % to 75% protection against the disease.
<b>Symptoms and Effects</b>	Local infection usually in respiratory passages; delay in treatment can cause damage to heart, kidneys, and central nervous system	Skin lesions, ulcers in skin, mucous membranes, and viscera; if inhaled, upper respiratory tract involvement	Cough, fever, chills, muscle/joint pain, nausea, and vomiting; progressing to death	Enlarged lymph nodes in groin; septicemic (spleen, lungs, meninges affected)	Prolonged fever, lymph tissue involvement; ulceration of intestines; enlargement of spleen; rose-colored spots on skin; constipation or diarrhea
<b>Treatment</b>	Antitoxin extremely effective; antibiotic (penicillin) shortens the duration of illness	Drug therapy (streptomycin and sulfadiazine) is somewhat effective	Antibiotics (doxycycline, chlorothenicol, tetracycline), and sulfadiazine	Doxycycline (100 mg 2x/d for 7 d); ciprofloxacin also effective	Antibiotics (amoxicillin or cotrimoxazole) shorten period of communicability and cure disease rapidly
<b>Potential as Biological Agent</b>	Very low—symptoms not severe enough to incapacitate; rare cases of severe infection	Unknown	Moderate—rare disease, no vaccine available	High—highly infectious, particularly in pneumonic (aerosol) form; lack of stability and loss of virulence complicate its use	Not likely to be deployed via aerosol; more likely for covert contamination of water or food.



**Table 2- 6. Viral agents**

<b>Biological Agent/Disease</b>	<b>Marburg Virus</b>	<b>Junin Virus</b>	<b>Rift Valley Fever Virus</b>	<b>Smallpox</b>	<b>Venezuelan Equine Encephalitis</b>
<b>Likely Method of Dissemination</b>	Aerosol	Epidemiology not known	Mosquito-borne; in biological scenario, aerosols or droplets	Aerosol	1. Aerosol 2. Infected vectors
<b>Transmissible Person to Person</b>	Unknown	Unknown	Unknown	High	No
<b>Incubation Period</b>	5 d to 7 d	7 d to 16 d	2 d to 5 d	10 d to 12 d	1 d to 6 d
<b>Duration of Illness</b>	Unknown	16 d	2 d to 5 d	4 wk	Days to weeks
<b>Lethality</b>	25 %	18 %	<1 %	20 % to 40 % (Viriole major) <1 % (Viriole minor)	1 % to 60 %
<b>Vaccine Efficacy (for aerosol exposure)/ Antitoxin</b>	No vaccine	No vaccine	Inactivated vaccine available in limited quantities	Vaccine protects against infection within 3 d to 5 d of exposure	Experimental only: TC-83 protects against 30 LD <sub>50</sub> s to 500 LD <sub>50</sub> s in hamsters
<b>Symptoms and Effects</b>	Sudden onset of fever, malaise, muscle pain, headache and conjunctivitis, followed by sore throat, vomiting, diarrhea, rash, and both internal and external bleeding. (begins 5th day) Liver function may be abnormal and platelet function may be impaired.	Hemorrhagic syndrome, chills, sweating, exhaustion and stupor	Febrile illness, sometimes abdominal tenderness; rarely shock, ocular problems	Sudden onset of fever, headache, backache, vomiting, marked prostration, and delirium; small blisters form crusts which fall off 10 d to 40 d after first lesions appear; opportunistic infection	Sudden illness with malaise, spiking fevers, rigors, severe headache, photophobia and myalgias
<b>Treatment</b>	No specific treatment exists. Severe cases require intensive supportive care, as patients are frequently dehydrated and in need of intravenous fluids.	No specific therapy; supportive therapy essential	No studies, but IV ribavirin (30 mg/kg/ 6 h for 4 d, then 7.5 mg/kg/8 h for 6 d) should be effective	Vaccinia immune globulin (VIG), and supportive therapy	Supportive treatments only
<b>Potential as Biological Agent</b>	High—actually weaponized by former Soviet Union biological program	Unknown	Difficulties with mosquitos as vectors	Possible, especially since routine smallpox vaccination programs have been eliminated world-wide (part of USSR offense bioprogram)	High—former US and USSR offensive biological programs weaponized both liquid and dry forms for aerosol distribution.

**Table 2- 6. Viral agents- Continued**

<b>Biological Agent/Disease</b>	<b>Yellow Fever Virus</b>	<b>Dengue Fever Virus</b>	<b>Ebola Virus</b>	<b>Congo-Crimean Hemorrhagic Fever Virus</b>
<b>Likely Method of Dissemination</b>	Mosquito-borne	Mosquito-borne	1. Direct contact 2. Aerosol (BA)	Unknown
<b>Transmissible Person to Person</b>	No	No	Moderate	Yes
<b>Incubation Period</b>	3 d to 6 d	3 d to 15 d	4 d to 16 d	7 d to 12 d
<b>Duration of Illness</b>	2 weeks	1 week	Death between 7 d to 16 d	9 d to 12 d
<b>Lethality</b>	10 % to 20 % death in severe cases or full recovery after 2 d to 3 d	5 % average case fatality by producing shock and hemorrhage, leading to death	High for Zaire strain; moderate with Sudan	15 % to 20 %
<b>Vaccine Efficacy (for aerosol exposure) /Antitoxin</b>	Vaccine available; confers immunity for 10 yr +	Vaccine available	No vaccine	No vaccine available; prophylactic ribavirin may be effective
<b>Symptoms and Effects</b>	Sudden onset of chills, fever, prostration, aches, muscular pain, congestion, severe gastrointestinal disturbances, liver damage and jaundice; hemorrhage from skin and gums	Sudden onset of fever, chills, intense headache, pain behind eyes, joint and muscle pain, exhaustion and prostration	Mild febrile illness, then vomiting, diarrhea, rash, kidney and liver failure, internal and external hemorrhage (begins 5th day), and petechiae	Fever, easy bleeding, petechiae, hypotension and shock; flushing of face and chest, edema, vomiting, diarrhea
<b>Treatment</b>	No specific treatment; supportive treatment (bed rest and fluids) for even the mildest cases	No specific therapy; supportive therapy essential	No specific therapy; supportive therapy essential	No specific treatment
<b>Potential as Biological Agent</b>	High, if efficient dissemination device is employed	Unknown	Former Soviet Union	Unknown

**Table 2- 7. *Rickettsiae***

<b>Biological Agent/Disease</b>	<b>Endemic Typhus</b>	<b>Epidemic Typhus</b>	<b>Q Fever</b>	<b>Rocky Mountain Spotted Fever</b>
<b>Likely Method of Dissemination</b>	1. Contaminated feces 2. Infected insect Larvae 3. Rat or flea bites	1. Contaminated feces 2. Infected insect larvae	1. Sabotage (food supply) 2. Aerosol	Infected wood ticks
<b>Transmissible Person to Person</b>	No	No	Rare	No
<b>Incubation Period</b>	6 d to 14 d	6 d to 15 d	14 d to 26 d	3 d to 14 d
<b>Duration of Illness</b>	Unknown	Unknown	Weeks	Unknown
<b>Lethality</b>	1 %, increasing in people >50 yr old	10 % to 40 % untreated; increases with age	Very low	15 % to 20 % untreated, (higher in adults); treated—death rare with specific therapy (tetracycline or chloramphenicol)
<b>Vaccine Efficacy (for aerosol exposure) /Antitoxin</b>	Unknown	Vaccine confers protection of uncertain duration	94 % protection against 3500 LD <sub>50</sub> s in guinea pigs	No vaccine
<b>Symptoms and Effects</b>	Sudden onset of headache, chills, prostration, fever, pain; maculae eruption on 5 <sup>th</sup> day to 6 <sup>th</sup> day on upper body, spreading to all but palms, soles, or face, but milder than epidemic form	Sudden onset of headache, chills, prostration, fever, pain; maculae eruption on 5 <sup>th</sup> day to 6 <sup>th</sup> day on upper body, spreading to all but palms, soles, or face	Mild symptoms (chills, headaches, fever, chest pains, perspiration, loss of appetite)	Fever and joint pain, muscular pain; skin rash that spreads rapidly from ankles and wrists to legs, arms, and chest; aversion to light
<b>Treatment</b>	Antibiotics (tetracycline and chloramphenicol); supportive treatment and prevention of secondary infections	Antibiotics (tetracycline and chloramphenicol); supportive treatment and prevention of secondary infections	Tetracycline (500 mg/ 6 h, 5 d to 7 d) or doxycycline (100 mg/ 12 h, 5 d to 7 d) also, comb. Erthyromycin (500 mg/6 h) and rifampin (600 mg/d).	Antibiotics—tetracycline or chloramphenicol
<b>Potential as Biological Agent</b>	Uncertain—broad range of incubation (6 d to 14 d) period could cause infection of force deploying biological agent	Uncertain—broad range of incubation (6 d to 14 d) period could cause infection of force deploying biological agent	Highly infectious, is delivered in aerosol form. Dried agent is very stable; stable in aerosol form.	Unknown

**Table 2- 8. Biological toxins**

<b>Biological Agent/Disease</b>	<b>Botulinum Toxin</b>	<b>Staphylococcal enterotoxin B</b>	<b>Tricothecene mycotoxins</b>	<b>Ricin (Isolated from Castor Beans)</b>	<b>Saxitoxin</b>
<b>Likely Method of Dissemination</b>	1. Aerosol 2. Sabotage (food & water)	1. Sabotage (food supply) 2. Aerosol	1. Aerosol 2. Sabotage	1. Aerosol 2. Sabotage (food & water)	Contaminated shellfish; in biological scenario, inhalation or toxic projectile
<b>Transmissible Person to Person</b>	No	No	No	No	No
<b>Incubation Period</b>	Variable (hours to days)	3 h to 12 h	2 h to 4 h	Hours to days	5 min to 1 h
<b>Duration of Illness</b>	Death in 24 h to 72 h; lasts months if not lethal	Hours	Days to months	Days—death within 10 d to 12 d for ingestion	Death in 2h to 12 h
<b>Lethality</b>	5 % to 60 %, untreated <5 % treated	<1 %	Moderate	100 %, without treatment	High without respiratory support
<b>Vaccine Efficacy (for aerosol exposure) /Antitoxin</b>	Botulism antitoxin (IND) Prophylaxis toxoid (IND) Toxolide	No vaccine	No vaccine	No vaccine	No vaccine
<b>Symptoms and Effects</b>	Ptosis; weakness, dizziness, dry mouth and throat, blurred vision and diplopia, flaccid paralysis	Sudden chills, fever, headache, myalgia, nonproductive cough, nausea, vomiting and diarrhea	Skin—pain, pruritis, redness and vesicles, sloughing of epidermis; respiratory—nose and throat pain, discharge, sneezing, coughing, chest pain, hemoptysis	Weakness, fever, cough, pulmonary edema, severe respiratory distress	Light headedness, tingling of extremities, visual disturbances, memory loss, respiratory distress, death
<b>Treatment</b>	Antitoxin with respiratory support (ventilation)	Pain relievers and cough suppressants for mild cases; for severe cases, may need mechanical breathing and fluid replenishment	No specific antidote or therapeutic regimen is available; supportive and symptomatic care	Oxygen, plus drugs to reduce inflammation and support cardiac and circulatory functions; if ingested, empty the stomach and intestines; replace lost fluids	Induce vomiting, provide respiratory care, including artificial respiration
<b>Potential as Biological Agent</b>	Not very toxic via aerosol route; extremely lethal if delivered orally. Since covert poisoning is indistinguishable from natural botulism, poisoning could have limited use.	Moderate—could be used in food and limited amounts of water (for example, at salad bars); LD <sub>50</sub> is sufficiently small to prevent detection	High—used in aerosol form (“yellow rain”) in Laos, Kampuchea and Afghanistan (through 1981)	Has been used (1978—Markov murder); included on prohibited Schedule I chemicals list for Chemical Weapons Convention; high potential for use in aerosol form	Moderate, aerosol form is highly toxic

### **3. OVERVIEW OF CB DECONTAMINATION**

Decontamination is defined as the process of removing or neutralizing a surface hazard resulting from a chemical and/or biological (CB) attack. This section provides an overview of CB decontamination. Section 3.1 discusses the decontamination processes that are used for CB decontamination. Section 3.2 provides an overview of CB decontamination applications (personnel, equipment, and infrastructure). Section 3.3 discusses equipment that is used to support CB decontamination operations.

#### **3.1 Decontamination Process**

A decontamination process refers to a method employed to destroy, reduce, or remove a contaminant to an acceptable level. There are several methods used to decontaminate CB agents and TIMs. These methods consist of physical, chemical, and thermal processes.

##### **3.1.1 Physical Processes**

Physical processes are used to remove CB agents and TIMs from surfaces. It should be noted that another means of decontamination would be necessary for CB detoxification. High-pressure systems, sorbents (simple inert), and solvent washes are examples of physical processes and are explained in the remainder of this section.

###### **3.1.1.1 Sorbents (Simple Inert)**

Sorbent technology uses materials that physically remove liquid chemicals from surfaces (e.g., skin). Generally, synthetic sorbents adsorb liquids, and natural sorbents absorb them. The state of the liquid after sorption depends on the type of sorbent material used.

For simple inert sorbent materials such as soil, diatomaceous earth, activated charcoal, or some commercially available sorbents (XAD-7, XAD-2), the liquid remains active in the sorbent material, making the sorbent material toxic. A commonly fielded sorbent-based system uses Fuller's Earth (sec. 4.1.3), a type of natural clay, in a mitt or package to sorb the agent. The liquid is absorbed by the Fuller's Earth, then wiped or blown off the surface removing the contamination. Since the liquid is not detoxified, the contaminated Fuller's Earth remains a toxic substance. An example of a decontamination equipment utilizing simple inert sorbents is the Decontamination Kit, Personal No. 2, Mark 1 (fig. 3-1), manufactured by Richmond Packaging Limited.



***Figure 3-1. Decontamination Kit,  
Personal No. 2, Mark 1***

### **3.1.1.2 Solvent Wash**

The use of a solvent to remove a CB contaminant is a physical rather than a chemical process. Chemical agents are removed from a surface by washing the molecules away using water, alcohol, freon, diesel fuel, etc. In this process, the agent is diluted, but not detoxified, and there may be residues left behind in cracks, pits, joints, etc. Solvents are often applied in an open environment using pressurized sprayers such as a Hudson<sup>®</sup> sprayer, a power washer, or an aerosol sprayer. The runoff from a solvent decontamination must be collected in order to minimize the areas contaminated. Solvent wash technology can also be used in an enclosed environment to effectively decontaminate patrol car interiors, portable communications equipment, or electronic devices. In a closed system, the solvents can be manipulated by heating them or using them in conjunction with ultrasonic or supersonic sprays in order to increase their decontamination effectiveness. After a decontamination cycle, the solvents can often be recycled for further use in additional cycles before being discarded and detoxified.

### **3.1.1.3 High-Pressure Systems**

Decontaminants, such as water and carbon dioxide, sprayed at high pressures are effectively used to physically remove chemical and biological agents from surfaces. Studies have demonstrated that chemical agents can be removed from surfaces with water pressures  $\leq 3000$  lb per square inch (psi). Removal of agents from surfaces is highly dependent upon the nature of the surfaces (i.e., surfaces which are flat and smooth can be more readily decontaminated than curved porous surfaces using water sprays). Other parameters that affect the effectiveness of water streams for decontamination are pressure, temperature, angle of attack, traverse velocity, space between traverses, standoff distance, flow volume, and jet characteristics. Additives can be added to the water to improve the water jet characteristics. Likewise, water sprayed onto personnel using showers or other low-pressure delivery systems can be used to decontaminate skin.

One example of decontamination equipment utilizing a high-pressure system is the K1-05 standard unit (fig. 3-2) manufactured by Applied Surface Technology. The K1-05 system employs high-pressure carbon dioxide to physically remove contaminants. Another example is the Karcher HDS 1200 EK high-pressure steam jet cleaner unit (fig. 3-3), manufactured by Karcher, that employs mechanical technology by disseminating high-pressure cold or hot water, steam, or dry steam to decontaminate materials.



**Figure 3-2. K1-05 standard unit**



**Figure 3-3. Karcher HDS 1200 EK high-pressure steam jet cleaner unit**

### **3.1.2 Chemical Processes**

Chemical processes involve the use of reactive or catalytic chemicals (sorbents) to neutralize CB contaminants. Another means of decontamination would be necessary for chemical agent, TIM, or biological agent removal.

A reactive sorbent first adsorbs the CB contaminate and then chemically detoxifies it. Reactive sorbents have been prepared by soaking simple sorbents in alkaline solutions, effectively “loading” the matrix with caustic material. Once sorbed into the sorbent matrix, the agent encounters the alkaline medium, reacts with it, and is destroyed. A second approach for reactive sorbents is to prepare a polymeric material with reactive groups attached to the polymeric backbone. In this case, the agent is sorbed by the polymeric matrix, encounters the reactive group, and is neutralized by it. A third approach is to use microcrystalline metal oxides such as aluminum oxide or magnesium oxide. An example of decontamination equipment utilizing reactive sorbents is the Decontamination Kit, Individual Equipment: M295, manufactured by Truetech (fig. 3-4).



**Figure 3-4. Decontamination Kit, Individual Equipment: M295**

Catalytic sorbents are similar to reactive sorbents in that both contain reactive sites that react with and detoxify the CB contaminants. In the case of catalytic sorbents, the reactive site is

regenerated during detoxification of the agent while, in the case of reactant sorbents, the reactive group is rendered inert after reacting with the agent. Examples of catalytic sorbents are polyoxometalates sorbed into a sorbent polymeric matrix and polymeric materials containing reactive sites that are covalently bound to the polymer chain.

### **3.1.3 Thermal Processes**

Thermal processes remove CB contaminants through vaporization. It should be noted that another means of decontamination is necessary for agent detoxification. Examples of decontamination equipment utilizing a thermal process are the Karcher mobile field laundry CFL 60 (fig. 3–5) that both physically and thermally removes decontaminates, and the Karcher AEDA1 decontamination equipment (fig. 3–6) that employs a combination of low-temperature thermal technology and mechanical technology.



*Figure 3–5. Karcher mobile field laundry CFL 60*



*Figure 3–6. Karcher AEDA1 decontamination equipment*

## **3.2 Decontamination Applications**

The three application areas involved with CB decontamination are personnel, equipment, and infrastructure. The remainder of this section presents each application in more detail.

### **3.2.1 Personnel Decontamination**

Personnel decontamination refers to the ability to decontaminate CB agent or TIMs from human skin and personal equipment (e.g., clothing, personal protective equipment) that may pose a direct threat to human health through direct contact. Decontamination of the skin must quickly and efficiently remove the contaminant without causing damage to the skin. Skin decontaminants can either destroy the contaminant on the skin through chemical or biological reactions or physically remove it from the skin. An example of personnel decontamination equipment is the NBC-DEWDECON-PERS Emergency Response Personnel Decontamination Kit (shown in fig. 3–7). Depending on the decontaminants used in the kit, either chemical or mechanical technologies may be employed.





**Figure 3–7. NBC-DEWDECON-PERS  
Emergency Response Personnel  
Decontamination Kit**

For general decontamination information the reader can refer to *Responding to A Biological or Chemical Threat: A Practical Guide* (see app. B). For information on methods and techniques utilized during mass casualty decontamination, the reader should refer to *Guidelines for Mass Casualty Decontamination During a Terrorist Chemical Agent Incident* (see app. B).

### **3.2.2 Equipment Decontamination**

Equipment decontamination refers to the ability to decontaminate CB agent or TIMs from the exterior surfaces of equipment. This includes the decontamination of both large (e.g., vehicles) and small items (e.g., computers, communications equipment). An example of this type of equipment is the Karcher MPDS multipurpose decontamination system (shown in fig. 3–8). The MPDS is equipped with a high-pressure spray system and depending on the decontaminant that was used, either chemical or mechanical technologies are employed.



**Figure 3–8. Karcher MPDS multipurpose  
decontamination system**

### **3.2.3 Infrastructure Decontamination**

Infrastructure decontamination involves the removal of CB agents or TIMs from large-scale items (e.g., buildings, roadways). Due to their extensive surface area, these items require special consideration during the performance of decontamination operations. An example of infrastructure decontamination equipment is the Karcher C8–DADS direct application

decontamination system (shown in fig. 3–9). This system uses both physical (removes contaminate) and chemical (neutralizes contaminant) decontamination processes.



**Figure 3–9. Karcher C8–DADS  
direct application  
decontamination system**

### **3.3 Support Equipment**

This guide primarily focuses on decontamination equipment used for removing and/or neutralizing CB contamination from personnel (to include clothing), equipment, and infrastructure. However, emergency first responders should be aware that there is equipment used to support CB decontamination operations. Decontamination shelters and decontamination units (shower/dressing rooms with basins and bladders) are examples of equipment used to support decontamination operations. Decontamination shelters are used to provide protection to personnel (victims, technicians, etc.), subsequent to decontamination operations, from any remaining CB contamination. Examples of decontamination shelters are the TVI first response shelter (fig. 3–10) and the TVI Quick-E WMD command post (fig. 3–11).



**Figure 3–10. TVI first response shelter**



**Figure 3–11. TVI Quick-E WMD  
command post**

Portable decontamination shower units keep water contained by patented recovery bladders connected to a catch basin while the victims stand on a stool above the contaminated water. The units are available as single, double, or quad units. Examples of decontamination units are the

SC spill containment single shower stall with dressing room (fig. 3–12) and the SC spill containment single decon unit with bladder (fig. 3–13). Appendix C contains a listing of commercially available decontamination shelters.



*Figure 3–12. SC spill containment single shower stall with dressing room*



*Figure 3–13. SC spill containment single decon unit with bladder*

## 4. INTRODUCTION TO CB DECONTAMINANTS

This section provides an overview of the substances used for decontamination, that is, substances used to destroy, physically remove, or reduce CB agent or TIMs to an acceptable level. The two types of decontaminants are physical and chemical. Physical decontaminants include water, hot air, weathering, Fuller's Earth, and surfactants and are discussed in section 4.1. Chemical decontaminants include oxidizing agents, strong bases, and microemulsions and are discussed in section 4.2. Appendix F provides chemical decontaminant data sheets.

Additional information about planning and setting up decontamination operations is available in the *Terrorism Handbook for Operational Responders* (see app. B). The Decontamination chapter in the aforementioned handbook includes several appendices, one entitled Decontamination Solutions: Use and Preparation, and another that contains a flow/chart diagram of a complete decontamination corridor. It is important to note that the EPA has developed guidelines for how to handle contaminated runoff resulting from decontamination operations. This guidance letter is provided as appendix G. In addition to the EPA guidance letter, an EPA awareness document alerting first responders about the environmental liability due to mass decontamination runoff has been included in appendix H.

### 4.1 Physical Decontaminants

Physical decontaminants are substances used to remove CB contaminants from surfaces. Water, hot air, Fuller's Earth, weathering, and surfactants are examples of physical decontaminants and are explained in the remainder of this section. It should be noted that other decontaminants are necessary for neutralization of CB contaminants.

#### 4.1.1 Water

Water is used to physically remove CB contaminants from surfaces. Water with the addition of detergents is effective for the decontamination of surfaces and materials contaminated with CB agent or TIMs. Decontamination by detergents and soaps in water occurs predominantly by the physical removal or dilution of agent. The use of soap and water for the physical removal of contaminants from skin and equipment will limit the spread of contamination.

Soap and water (especially soap and hot water) also has the capability to neutralize agents to some extent by the chemical method of slow hydrolysis. However, hydrolysis is limited due to the typically low solubility and slow rate of diffusion of agents in water. Contaminated surfaces may be wiped or scrubbed with hot, soapy water. If possible, the item may be immersed in soapy water; however, since soapy water does not detoxify CB contaminants, the runoff water must be considered contaminated and precautions must be undertaken to prevent additional CB contamination. The waste-water (from the water runoff) must be collected and treated to detoxify the agents.

High temperature saturated steam can also be employed to remove CB contaminants. Saturated steam is also used to remove grease and oil, as well as for sterilizing, disinfecting, degreasing, and degassing. Steam is efficient for cleaning surfaces before painting or other surface

treatments and will flush away poisons and chemicals, as well as dissolve resins and tars. It is ideal for de-icing applications, as well as for killing algae or mildew.

#### **4.1.2 Hot Air**

Hot air is used to physically remove CB contaminants from surfaces. The effectiveness of hot air decontamination varies with respect to the physical properties of the CB agent or TIM being decontaminated. For example, CB contaminants distributed over a nonporous or nonabsorbent surface are readily removed using heat. However, if the CB contaminants are distributed over a porous or absorbent surface, additional heat and time are required to fully remove it.

#### **4.1.3 Fuller's Earth**

Fuller's Earth is a nonplastic form of kaolin that contains an aluminum-magnesium silicate. The decontamination process involved with Fuller's Earth is the physical removal of the agent from surfaces. The term Fuller's Earth is typically applied to any clay that has an adequate purifying and/or decolorizing capacity. The most recognizable use for Fuller's Earth is kitty litter, a general purpose absorbent used for spill cleanups as well as for feline hygiene. Fuller's Earth is typically used in industry for decolorizing petroleum based oils, as a filler for rubber, as a substitute for activated charcoal, and as a filtering medium. Fuller's Earth may be used as a CB decontaminant if a better method for the decontamination/detoxification of chemical agents is unavailable. Crushed Fuller's Earth is best suited for personal decontamination, such as removing CB agent or TIMs from the skin of an exposed individual.

At some point, the contaminated Fuller's Earth will need to be subjected to a detoxification procedure. Caution must be exercised when using Fuller's Earth so as not to inhale the dust or fine particles associated with it, especially if it is contaminated with a CB agent or TIMs. Prolonged skin contact with Fuller's Earth may cause skin irritation. Inhalation of dust or fine particles may lead to an irritation/inflammation of the respiratory tract.

#### **4.1.4 Weathering**

Weathering describes a passive form of decontamination whereby natural sources of heat and UV radiation (sunlight), water (precipitation), and wind combine to decontaminate a vehicle, a piece of equipment, large structures, and large areas of terrain. During the weathering process, decontamination occurs by evaporation of the contaminant (physical removal) or destruction of contaminants by hydrolysis or, less likely, by photolysis (chemical reaction). The effectiveness of using weathering as a decontamination technology is very dependent on the persistency of the agent. The persistency of agent is dependent upon the wind speed, atmospheric stability, precipitation, terrain, vegetation, soil, method of dissemination, ambient temperature, and the material and surface on which the agent is deposited. Of these factors, wind, ambient temperature, humidity, precipitation, and atmospheric stability are the most important factors affecting agent persistency. High winds rapidly disperse chemical agent aerosols and vapors, thereby decreasing their effective coverage over the target. The higher the temperatures, the faster the agent will evaporate. In hot conditions without any wind, a significant vapor hazard can occur and decontamination by weathering will be much less effective. However, the

combination of high temperatures and moderate to high winds can be very effective in decontamination operations.

#### **4.1.5 Surfactants**

There are three categories of surfactants currently in use: anionic surfactants, cationic surfactants, and nonionic surfactants. The intent of a surfactant is not to detoxify the CB agent or TIMs but to solubilize it into a solution that can detoxify it. Anionic surfactants are generally more powerful in terms of solubilizing CB contaminants into an aqueous solution than cationic or nonionic surfactants.

### **4.2 Chemical Decontaminants**

Chemical decontaminants are substances used to neutralize CB contaminants. Most of the current decontaminants used in the detoxification of CB contaminants can be considered reactive chemicals. Reactive chemicals are ones that readily react with another chemical without the need for stirring, heating, or shaking. Often, as in the case of hydrolysis or oxidation of chemical agents, the reactions occur immediately with the evolution of heat and gases (chlorine, water vapor, and hydrogen chloride (HCl)). Reactive compounds will interact with metallic containers and coated surfaces to corrode the surfaces, and with animal and vegetative tissues to damage the tissues. Three types of chemical decontaminants are oxidizing agents, strong bases, and microemulsions.

It should be noted that chemicals such as sodium hypochlorite (common bleach) and sodium hydroxide are effective decontaminants for both the removal and neutralization of CB contaminants.

#### **4.2.1 Oxidizing Agents**

Powerful oxidizing agents, such as calcium hypochlorite ( $\text{Ca}(\text{OCl})_2$ ) and sodium hypochlorite ( $\text{NaOCl}$ ), are used effectively for the detoxification of CB contaminants. When  $\text{Ca}(\text{OCl})_2$  and  $\text{NaOCl}$  dissolve in water, the result is a solution that contains hypochlorite ions. The hypochlorite ions generated by an alkaline aqueous solution of  $\text{Ca}(\text{OCl})_2$  or  $\text{NaOCl}$  are effective in the decontamination of most CB contaminants.

Supertropical Bleach (STB) is a combination of powerful oxidizers ( $\text{Ca}(\text{OCl})_2$ ) and a strong base, calcium oxide ( $\text{CaO}$ ). STB is effective in the decontamination/detoxification of HD, G agents, and VX.  $\text{OCl}^-$  generated by an aqueous solution of  $\text{Ca}(\text{OCl})_2$  and the hydroxide ion formed by the dissolution of  $\text{CaO}$  (which produces the  $\text{OH}^-$ ) is effective in the decontamination/detoxification of G agents, VX, and HD. Hypochlorite ions in high pH solutions (alkaline) are less effective in the decontamination of VX due to reduced solubility of VX. When dissolved in water, calcium oxide forms calcium hydroxide ( $\text{Ca}(\text{OH})_2$ ).

Chloramine-B ( $\text{C}_6\text{H}_5\text{ClNNaO}_2\text{S}$ ), also known commercially as Neomagnol, is an oxidant that is commonly used as an antibacterial agent. For use in decontaminating/detoxifying chemical agents, Chloramine-B is impregnated into a towelette and wetted with an aqueous solution of 5 % zinc chloride ( $\text{ZnCl}_2$ ), 45 % ethanol, and 50 % water prior to use. Chloramine-B can be used as an

antibacterial agent (i.e., like Neomycin<sup>®</sup> Ointment) and as a topical antiseptic. Chloramine-B is effective in the decontamination/detoxification of HD and VX. However, Chloramine-B is apparently not effective against the G agents, nor against some biological agents. The detoxification of HD is a multi-step chemical process. Chloramine-B dissolves in water to form protonated Chloramine-B and free hydroxide ions. The zinc chloride maintains the pH of the environment between 5 and 6. At this point, the sulfur in the HD attacks the chlorine in the protonated Chloramine-B forming a transient chlorosulfonium ion species that reacts rapidly with the  $C_6H_5SO_2N^+H$  anion to form a sulfimide species and with water to form sulfur mustard. For VX, it was found that VX does not react with the Chloramine-B in the towelette because the pH of the decontamination solution increases in the presence of the VX. It is believed that in actual use, the VX is physically removed from the surface by the action of wiping down the surface and by concurrent solubilization of the VX.

#### 4.2.2 Strong Bases

Strong bases, such as CaO,  $Ca(OH)_2$ , sodium hydroxide (NaOH), and potassium hydroxide (KOH), produce a high concentration of hydroxide ions upon mixing with water. These compounds, when in solution, are effective hydrolyzing agents in reacting with chemical agents. Sodium hydroxide is the most widely used base in a solution since it has the highest solubility of these compounds; calcium oxide and calcium hydroxide are the least soluble.

NaOH is applicable for the detoxification of persistent agents and G agents where the main reaction is alkaline hydrolysis. In the reaction with GB, the hydroxide bond disrupts and breaks the phosphorus-fluorine bond and forms a phosphorus-oxygen bond. The hydroxide ion is not as effective for VX as it is for GB. In VX, the critical bond is the phosphorus-sulfur bond. While the hydroxide ion will break the P - S bond, there is a competing reaction that replaces the ethoxy group with a hydroxyl group, forming a compound called EA2192. This compound is comparable to VX in its toxicity. Depending on the conditions, up to 14 % of EA2192 will be produced. In addition, the solubility of VX in a basic solution such as hydroxide is low, which will affect the reaction rate at low (room) temperature. The hydroxide ion can also be used to detoxify mustard, HD. In the reaction with HD, the hydroxide ion replaces the chlorine atom producing hydrochloric acid. The solubility of HD in an aqueous system, such as hydroxide, is low and much of the reaction occurs at the interface between the HD and water. Normally, the reaction rate is much too slow to be a viable detoxification method. Techniques often used to increase the reaction rate include stirring the reaction mixture and increasing the temperature to around 100 °C.

Strong bases such as sodium hydroxide (NaOH) can also dissolve into an organic solvent forming a very strong basic solution. The most well known member of this technology is Decontaminating Solution Number 2 or DS2. This solution is made up of 70 % diethylenetriamine (DETA), 28 % 2-methoxyethanol (also known as ethylene glycol monomethylether, EGME), and 2 % NaOH. In this solution, NaOH reacts with EGME forming the ethoxide; when DETA is added to this solution, any free sodium ions are rapidly bound up by the DETA. This causes the hydroxide ions to be highly reactive, effectively increasing the strength of the basic solution.

DS2 was formulated to be a general purpose reactive decontaminant that would be ready to use over a large temperature range, and have long-term storage stability. DS2 reacts instantly with the G

agents, VX, and HD at ambient temperatures. DS2 is noncorrosive to most metals, but it can damage paints, plastics, rubbers, and leather materials. DS2 is flammable and cannot be used in conjunction with strong oxidizing agents such as bleach, which cause it to spontaneously combust. DS2 comes ready to use in containers ranging from 1–1/3 quart cans to 5–gallon pails. Application of DS2 can be by the ABC-M11 portable decontamination apparatus or the M13 DAP. DS2 is allowed to remain in contact with the contaminated surface for up to 30 min, and then rinsed off with water. DS2 is most effective when application is followed by a scrubbing action. It should be noted that DS2 is being replaced because of its damaging effects to the environment. It should also be noted that BX24 is a decontaminant that is currently undergoing testing as an interim replacement for DS2. BX24 is a powder that easily mixes with water and is commercially available from Cristanini SpA.

#### **4.2.3 Microemulsions**

Chemical agents are organic compounds that exhibit a limited solubility in water. Many decontaminants, such as calcium hypochlorite and sodium hydroxide, are highly soluble in water. Because of the limited solubility of chemical agents in water, the time needed to decontaminate the agent is determined primarily by the solubility of the agent in the mixture of water and decontaminant. Microemulsions are thermodynamically stable mixtures of water, oil, surfactants, and co-surfactants that appear macroscopically as a homogeneous phase. Different water-soluble decontaminants can be dissolved into a microemulsion leading to a chemical system containing very small organic droplets dispersed into water (for an oil in water microemulsion) containing the decontaminant. When a chemical agent encounters a microemulsion system, it is partially dissolved (partitioned) into the organic phase of the microemulsion. Once dissolved, the agent can react with the water-soluble decontaminant at the surface of the organic portion of the microemulsion. The rate of agent decontamination is related to the size of the microemulsion particles. The smaller the particles in a microemulsion, the faster the decontamination process. This is due to the high surface area of the reaction surface with respect to the amount of chemical agent dissolved, and the short diffusion paths from the center of the microemulsion particle to its surface.

C8 is a microemulsion formulated by the Alfred Karcher GmbH & Company in Germany as a multipurpose decontaminant reagent. The C8 emulsion consists, by weight, of 15 % tetrachloroethylene ( $C_2Cl_4$ ) which serves as the continuous phase, 76 % water, 1 % anionic surfactant, and 8 %  $Ca(OCl)_2$ . C8 is effective in the decontamination of VX, G agents, and HD. C8 can penetrate into paint (without damaging the paint) in order to dissolve and react with chemical agents that may be imbedded inside the paint. When sprayed, C8 forms a thin, continuous film over the surface to allow for sufficient contact time in decontaminating/detoxifying the chemical agents. After decontamination, the C8 can be rinsed off with water.



## **5. OVERVIEW OF EMERGENCY FIRST RESPONDER INITIATIVES FOR CB DECONTAMINATION**

To prepare for a CB attack, several municipalities have instituted new methods and policies concerning mass decontamination. Past decontamination procedures were effective in treating small numbers but the threat of the use of CB weapons of mass destruction has forced the development of mass decontamination capabilities that address the needs of the civilian population. Moreover, private contractors are playing a key role in developing new technologies to make mass decontamination a more expedient, safe, and private chore. Unfortunately, many of these technologies are expensive, and many first responder jurisdictions do not have sufficient funds to employ the implementation of mass decontamination trailers. Only a limited number of first responder organizations have purchased decontamination trailers for mass decontamination purposes due to their high costs.

As an alternative to purchasing a trailer, several first responder communities have taken the initiative to invent, design, contract, and implement their own mass decontamination apparatus and procedures. By taking this “in house” approach, the jurisdiction can implement ideas and procedures they know work and then build units to accommodate their own needs at lower cost. One such jurisdiction that has taken the initiative to fabricate its own trailer is the Boston Fire Department (app. D).

## **6. SELECTION FACTORS**

This section discusses 13 factors emergency first responders should consider when selecting and purchasing CB decontamination equipment. These factors were compiled by a panel of experienced scientists and engineers with multiple years of experience in decontamination, domestic preparedness, and identification of emergency first responder needs. The factors have also been shared with the emergency first responder community in order to obtain their thoughts and comments. It is anticipated that as additional input is received from the emergency first responder community, additional factors may be added or existing factors may be modified. These factors were developed so that CB decontamination equipment could be compared and contrasted in order to assist with the selection and purchase of the most appropriate equipment. It is important to note that the evaluation conducted using the 13 selection factors was based upon vendor-supplied data and no independent evaluation of equipment was conducted in the development of this guide. The vendor-supplied data can be found in its entirety in Volume II of this guide.

The results of the evaluation of the decontamination equipment against the 13 selection factors are provided in section 7. The remainder of this section defines each of the selection factors. Details on the manner in which the selection factor was used to assess the equipment are presented in table 6-1.

### **6.1 Chemical Agents Decontaminated**

This factor describes the ability of the equipment to decontaminate chemical agents. Chemical agents, when referred to in this guide, refer to nerve and blister agents only. Blood agents and choking agents are included within the list of TIMs. Nerve agents primarily consist of GB and VX. Other nerve agents include GA, GD, and GF. Blister agents are primarily limited to mustard (H). Other blister agents considered in this guide include HD, HN, and L.

### **6.2 Biological Agents Decontaminated**

This factor describes the ability of the equipment to decontaminate biological agents. Biological agent types considered for this guide include bacteria (i.e. Anthrax), rickettsia (i.e., Typhus), toxins (i.e., Botulinum Toxin), and viruses (i.e., Q Fever).

### **6.3 TIMs Decontaminated**

This factor describes the ability of the equipment to decontaminate TIMs. TIMs considered, in the development of this guide, are discussed in section 2.

### **6.4 Functional Application**

Functional application describes the areas where a piece of equipment would best be employed in the event of a chemical agent, biological agent, or a TIM attack. The three application areas are personnel, equipment, and infrastructure.

## **6.5 Capacity/Throughput**

Capacity/throughput will be determined by the functional application of the decontamination equipment. This describes how many people (e.g., skin and protective equipment), large equipment (e.g., vehicles), small equipment (e.g., computers and communication equipment), and the areas within an infrastructure that a piece of decontamination equipment can clean in a specific time (e.g., per hour). It should be noted that the relevancy of this factor depends on the initial and operating cost of the decontamination equipment.

## **6.6 Effectiveness of Decontamination**

Effectiveness of decontamination describes the ability of the equipment to decontaminate chemical agents and biological agents. Decontamination is defined as the process of removing or neutralizing a surface hazard resulting from a chemical agent, biological agent, or a TIM attack. For example, some decontamination equipment is only capable of physically removing a surface hazard while other items are capable of removing and neutralizing the surface hazard.

## **6.7 Set-Up Time**

This factor describes the amount of time required to ready the equipment for decontamination operations. The time includes setting up, processing, and tearing down the equipment.

## **6.8 Power Capabilities**

The power capabilities describes the type of power (AC, DC, etc.) required to operate a piece of equipment.

## **6.9 Operational Environment**

This factor describes the type of environment required for the decontamination system to be used optimally. For example, some decontamination systems are capable of operating in a field under common outdoor weather conditions and climates, e.g., rain, snow, extreme temperatures, humidity, etc. However, other decontamination systems may require more controlled conditions.

## **6.10 Durability**

Durability describes ruggedness of the equipment, i.e., how well a piece of equipment can take rough handling in harsh environments.

## **6.11 Resources**

Resources describe the amount of manpower required to use a decontamination system (i.e., mixing, applying, and rinsing).

### **6.12 Operator Skill Level**

Operator skill level refers to the skill level and training required for the operation of an instrument.

### **6.13 Training Requirements**

This factor considers the amount of time required to instruct the operator to become proficient in the operation of the equipment.

**Table 6-1. Selection factor key for decontamination equipment**

September 2000

	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/ Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
●	Decontaminates all nerve and blister agents	Decontaminates all biological agents	Decontaminates all of the TIMs listed	Decontaminates all application areas	More than 500 personnel; 20 large or 100 small pieces of equipment; or 10000 sq ft of area	Capable of neutralization and physical removal of contaminants	Less than 30 min	No power required	Operates in all expected environments	Capable of operating in harsh environments	One individual is required to use the decontamination system	No special skills or training required	No special training required
◐		Decontaminates multiple biological agents		Decontaminates multiple application areas	From 100 to 500 personnel; 10 to 20 large or 50 to 100 small pieces of equipment; or 5000 to 10000 square feet of area	Capable of neutralization but not physical removal of contaminants	From 30 min to 60 min	Vehicle or AC powered	Operates in most environments				
◑	Decontaminates either the nerve or blister agent class	Decontaminates only one biological agent	Decontaminates multiple TIMs	Decontaminates at least one of the application areas	From 50 to 100 personnel; 5 to 10 large or 25 to 50 small pieces of equipment; or 2500 to 5000 sq ft of area	Capable of physical removal but not neutralization of contaminants	From 60 min to 120 min	AC powered	Operation is restricted to certain environments	Operation is restricted to certain environments	Two people are required to use the decontamination system	No special skills but training required	Less than 8 h training required
◒			Decontaminates only one TIM										
○	Decontaminates none of the nerve or blister agents	Decontaminates no biological agents	Decontaminates none of the TIMs listed	Decontaminates none of the application areas	Less than 50 personnel; 5 large or 25 small pieces of equipment; or 2500 sq ft of area	Not capable of physical removal or neutralization of contaminants	Greater than 120 min	Other power sources such as diesel engines, electrical generators, etc	Operates only at room temperature	Not capable of operating in harsh environments	More than two people are required to use the decontamination system	Technician required to operate equipment	More than 8 h training required

The blank cells designate that the symbol is not applicable for the selection factor.

A duplicate of this table is provided for quick reference (as Table 7-6).

## 7. DECONTAMINATION EQUIPMENT EVALUATION

The market survey conducted for CB agent and TIM decontamination identified 72 different pieces of equipment. The details of the market survey to include data on each piece of equipment are provided in Volume II of this guide. This section documents the results of evaluating each equipment item versus the 13 selection factors. Section 7.1 defines the functional applications of the equipment and section 7.2 discusses the evaluation results.

### 7.1 Functional Application Categories

In order to display the evaluation results in a meaningful format, the decontamination equipment was grouped into three categories based on the functional application of the equipment or areas where a piece of equipment would best be employed by the emergency first responder community. The three application areas are personnel, equipment, and infrastructure.

The definitions for the three usage categories were extracted from the *Final Report: Wide Area Decon: CB Decontamination Technologies, Equipment and Projects* (see app. B). The definitions for each of the usage categories are as follows:

- **Personnel.** Equipment designed to decontaminate either individuals or large populations. The means of decontamination is not harmful to the human body. It also refers to the ability to decontaminate CB agents or TIMs on personal equipment that is carried by the emergency first responder.
- **Equipment.** Equipment designed to decontaminate large and small equipment items without affecting the usefulness of the items. Equipment decontamination can include sensitive equipment decontamination (e.g., computers, communications equipment), exterior equipment decontamination (e.g., vehicles), and interior equipment decontamination.
- **Infrastructure.** Equipment specifically designed to decontaminate large areas of land and terrain as well as large-scale items such as roadbeds, airstrips, cargo loading docks, and multiple buildings.

### 7.2 Evaluation Results

There were 72 separate decontamination equipment items identified. The evaluation results for CB agent and TIM decontamination equipment are presented in tabular format for the 72 pieces of equipment identified at the time of the writing of this guide. A table is presented for each of the three usage categories. Each table includes the specific equipment and the symbol that corresponds to how the equipment item was characterized based upon each of the selection factor definitions. The acronym ‘TBD’ is displayed in the appropriate cell if data were not available to characterize a specific selection factor. The acronym “NA” is displayed in the appropriate cell if the data were not applicable for a piece of equipment. Table 7-1 provides the table number and associated table pages for each of the usage categories.

**Table 7-1. Evaluation results reference table**

<b>Table Name</b>	<b>Table Number</b>	<b>Page(s)</b>
Personnel	7-3	41-45
Equipment	7-4	46-51
Infrastructure	7-5	52
Selection Factor Key	7-6	53

It should be noted that of the 72 decontamination items identified, 24 equipment items have multiple decontamination applications. The total available applications, separate and combined, is 100 applications.

There were 40 personnel decontamination equipment items identified. Of these 40 items, 20 were limited to one function application, 16 were capable of two function applications (personnel and equipment), and 4 had three function applications.

There were 51 equipment decontamination items identified. Of the 51 items, 27 were limited to one function application, 20 were capable of two function applications (16 were equipment and personnel and 4 were equipment and infrastructure), and 4 had three function applications.

There were 9 infrastructure decontamination equipment items identified. Of the 9 items, 1 was limited to one function application, 4 were capable of two function applications (infrastructure and equipment), and 4 had three function applications.

Refer to table 7-2 for a summary of the decontamination applications of the identified equipment.

**Table 7-2. Decontamination applications**

<b>Equipment Type</b>	<b>Decontamination Capability</b>			
	One functional application	Two functional applications	Three functional applications	Total applications
Personnel	20	16	4	40
Equipment	27	20	4	51
Infrastructure	1	4	4	9
<b>Total Capabilities</b>	<b>48</b>	<b>40</b>	<b>12</b>	<b>100</b>

**Table 7-3. Personnel decontamination equipment**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
1	Skin Decontaminant Lotion	●	TBD	TBD	◐	TBD	◐	TBD	●	●	TBD	●	●	●
11	NBC-DEWDECON-PERS Emergency Response Personnel Decontamination Kit	●	TBD	TBD	◐	TBD	●	●	●	TBD	●	●	●	●
16	M17 Lightweight Decontamination System, Sanator	●	●	TBD	◐	TBD	●	TBD	○	●	TBD	●	●	●
17	DECON Powder Glove	●	TBD	TBD	◐	TBD	◐	TBD	●	◐	TBD	●	○	TBD
18	Personal Decontamination Kit	●	TBD	TBD	◐	○	●	TBD	●	◐	●	●	◐	◐
19	SDMS Sensitive Material Decontamination System	●	TBD	TBD	◐	◐	●	TBD	◐	◐	●	○	◐	○
21	Mobile Decon Pad	TBD	TBD	TBD	◐	TBD	◐	○	TBD	TBD	●	TBD	TBD	TBD
23	Portaflex CUPOLA Decontamination Shelter	TBD	TBD	TBD	◐	TBD	●	●	●	TBD	TBD	TBD	TBD	TBD

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.



**Table 7-3. Personnel decontamination equipment**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
24	Portaflex Decontamination Shower Series	●	●	TBD	◐	TBD	◐	●	TBD	TBD	TBD	TBD	●	●
25	Response and Decontamination Unit	TBD	TBD	TBD	◐	TBD	●	TBD	○	TBD	TBD	TBD	TBD	TBD
30	COLPRO	●	TBD	TBD	◐	TBD	●	◐	◐	◐	●	○	◐	○
31	Decon System for Sensitive Materials (DSSM)	●	●	TBD	◐	TBD	◐	TBD	○	◐	●	○	○	○
32	Field Shower System	●	●	TBD	◐	TBD	◐	◐	●	◐	●	●	●	◐
33	Karcher Decojet-Trailer Decontamination System	●	●	TBD	●	◐	◐	TBD	TBD	●	●	TBD	○	○
34	Mediclean	●	●	TBD	◐	TBD	●	●	TBD	◐	●	●	◐	◐
35	Mobile Environmental Protection Container	●	●	TBD	◐	○	◐	TBD	○	◐	●	◐	○	○

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-3. Personnel decontamination equipment**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
36	Karcher DT60 Decontamination Tent	●	●	TBD	◐	◐	◐	●	●	●	TBD	◐	●	◐
37	Karcher SCS 1200 DE Lightweight Decontamination System	●	●	◐	◐	TBD	◐	TBD	○	●	●	●	●	◐
40	Karcher DECOCONTAIN 3000 Decontamination System	●	●	◐	●	◐	●	TBD	◐	●	●	◐	○	○
41	Karcher Decontamination Trailer	●	●	TBD	◐	TBD	●	TBD	TBD	●	●	TBD	●	○
42	Karcher SCS 1800 DE Decontamination System	●	●	TBD	◐	TBD	●	TBD	○	●	●	●	●	◐
43	Karcher Decojet Decontamination System	TBD	TBD	TBD	◐	TBD	●	TBD	TBD	●	●	TBD	●	◐
44	Karcher DECOCONTAIN 1500 Decontamination System	●	●	TBD	●	◐	●	TBD	TBD	●	TBD	TBD	○	○
47	Karcher Decont Tent	●	●	TBD	◐	TBD	◐	●	●	●	●	◐	TBD	◐

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-3. Personnel decontamination equipment**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TI/MS Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
50	Karcher MPDS MultiPurpose Decontamination System	●	●	◐	◑	TBD	◐	TBD	○	●	●	TBD	TBD	TBD
51	Karcher Hot Air Generator FB 20	TBD	TBD	TBD	◑	TBD	◐	TBD	◐	●	●	TBD	●	◐
55	Decon Hoop	●	●	TBD	◑	TBD	◐	●	●	TBD	●	TBD	●	●
56	SNL Decon Formulation	●	●	TBD	●	NA	◑	●	●	●	●	●	●	●
57	Reactive Skin Decontaminant Lotion (RSDL)	●	◑	TBD	◑	NA	◑	●	●	◐	◐	●	●	●
58	PLYCHEM DECAS Decontamination Unit	TBD	TBD	◐	◐	○	◐	◑	●	◑	●	◐	◐	◐
59	PLYCHEM DPI Decontamination Unit	TBD	TBD	◐	◐	○	◐	◑	●	◑	●	◐	◐	◐
60	Modular Mass Casualty Decontamination System	TBD	TBD	TBD	◐	○	●	●	TBD	●	TBD	○	TBD	TBD

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-3. Personnel decontamination equipment**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
61	Decontamination Kit, Personal No 1 Mark 1	●	TBD	TBD	◐	TBD	◐	TBD	●	TBD	TBD	●	●	●
62	Decontamination Kit, Personal No 2 Mark 1	●	TBD	TBD	◐	TBD	◐	TBD	●	TBD	TBD	TBD	●	●
63	Hazmat Decon Shower	●	●	TBD	◐	TBD	●	●	●	◐	◐	●	●	●
64	Hazmat Decon Backboard	●	●	TBD	◐	TBD	●	TBD	●	TBD	TBD	TBD	●	●
68	Decontamination Kit No 2	●	●	TBD	◐	○	◐	TBD	●	●	TBD	●	●	●
69	Decontamination Kit, Individual Equipment: M295	TBD	TBD	TBD	◐	TBD	●	TBD	●	TBD	TBD	●	●	●
70	TVI Quick-E WMD Decon Shower Shelter	TBD	TBD	TBD	◐	TBD	◐	●	TBD	●	●	◐	TBD	TBD
71	TVI Quik-Kleen Mass Decontamination System	TBD	TBD	TBD	◐	TBD	●	TBD	TBD	●	●	TBD	TBD	TBD

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-4. Equipment decontamination systems**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
1	Skin Decontaminant Lotion	●	TBD	TBD	◐	TBD	◐	TBD	●	●	TBD	●	●	●
2	K1-05 Standard Unit	TBD	TBD	TBD	◐	TBD	◐	TBD	◐	TBD	TBD	TBD	TBD	TBD
3	K4-05 High Purity	TBD	TBD	TBD	◐	TBD	◐	TBD	TBD	TBD	TBD	TBD	TBD	TBD
4	Snow Motion	TBD	TBD	TBD	◐	TBD	◐	TBD	TBD	◐	TBD	TBD	TBD	TBD
5	Decontamination Glove Booths	TBD	TBD	TBD	◐	TBD	◐	TBD	TBD	TBD	◐	TBD	TBD	TBD
6	HAL Series	●	TBD	TBD	◐	TBD	◐	TBD	TBD	◐	TBD	TBD	TBD	TBD
7	The Optimum Console	TBD	TBD	TBD	◐	TBD	◐	TBD	TBD	TBD	●	TBD	TBD	TBD
8	Ice Gun	TBD	TBD	TBD	◐	TBD	◐	TBD	●	TBD	TBD	TBD	●	◐
9	Cryogenesis Booth	●	●	TBD	◐	TBD	◐	◐	●	TBD	TBD	TBD	●	◐

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-4. Equipment decontamination systems**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
10	Delta V-1 Dry Ice Surface Cleaning System	●	●	TBD	◐	TBD	●	TBD	TBD	TBD	TBD	TBD	TBD	TBD
12	NBC-DEWDECON-M Decontaminant Mixer/ Applicator	●	●	TBD	◐	TBD	●	●	TBD	TBD	TBD	◐	TBD	TBD
13	NBC-DEWDECON-2L	●	●	TBD	◐	TBD	●	TBD	TBD	TBD	TBD	TBD	TBD	TBD
14	NBC-DEWDECON-3L Decontamination Device	●	●	TBD	◐	TBD	●	TBD	TBD	TBD	●	TBD	TBD	TBD
15	NBC-DEWDECON-20L Decontamination Device	●	●	TBD	◐	TBD	●	TBD	TBD	TBD	◐	TBD	TBD	TBD
16	M17 Lightweight Decontamination System, Sanator	●	●	TBD	◑	TBD	●	TBD	○	●	TBD	●	●	●
19	SDMS Sensitive Material Decontamination System	●	TBD	TBD	◑	◐	●	TBD	◑	◑	●	○	◐	○
20	Thorough Decontamination System	●	TBD	TBD	◐	◐	●	TBD	TBD	◑	TBD	○	○	○
22	Mobile Laboratories	TBD	TBD	TBD	◐	TBD	◐	TBD	◐	TBD	TBD	TBD	TBD	TBD

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-4. Equipment decontamination systems**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
26	Blast Guard	●	●	TBD	◐	TBD	●	●	◐	◐	●	○	○	○
27	First Responder's Blast Guard	●	●	TBD	◐	TBD	●	●	●	◐	●	◐	○	○
28	First Responder's Surface Decon Unit	●	●	TBD	◐	◐	●	●	◐	◐	●	◐	●	◐
29	CASCAD	●	●	TBD	◐	●	●	●	◐	◐	●	○	●	◐
30	COLPRO	●	TBD	TBD	◐	TBD	●	◐	◐	◐	●	○	◐	○
31	Decon System for Sensitive Materials (DSSM)	●	●	TBD	◐	TBD	◐	TBD	○	◐	●	○	○	○
33	Karcher Decojet-Trailer Decontamination System	●	●	TBD	●	◐	◐	TBD	TBD	●	●	TBD	○	○
35	Mobile Environmental Protection Container	●	●	TBD	◐	○	◐	TBD	○	◐	●	◐	○	○
36	Karcher DT60 Decontamination Tent	●	●	TBD	◐	◐	◐	●	●	●	TBD	◐	●	◐

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-4. Equipment decontamination systems**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
37	Karcher SCS 1200 DE Lightweight Decontamination System	●	●	◐	◑	TBD	◐	TBD	○	●	●	●	●	◐
38	Karcher HDS 1200 EK High-Pressure Steam Jet Cleaner Unit	●	●	◐	◐	TBD	●	TBD	TBD	●	●	TBD	●	◐
39	Karcher Decont Jet 21	TBD	TBD	TBD	◐	◑	●	TBD	TBD	●	●	◐	◐	○
40	Karcher DECOCONTAIN 3000 Decontamination System	●	●	◐	●	◑	●	TBD	◑	●	●	◐	○	○
41	Karcher Decontamination Trailer	●	●	TBD	◑	TBD	●	TBD	TBD	●	●	TBD	●	○
42	Karcher SCS 1800 DE Decontamination System	●	●	TBD	◑	TBD	●	TBD	○	●	●	●	●	◐
43	Karcher Decojet Decontamination System	TBD	TBD	TBD	◑	TBD	●	TBD	TBD	●	●	TBD	●	◐
44	Karcher DECOCONTAIN 1500 Decontamination System	●	●	TBD	●	◑	●	TBD	TBD	●	TBD	TBD	○	○
45	Karcher Mobile Field Laundry CFL 60	TBD	TBD	TBD	◐	◐	◐	TBD	○	●	TBD	TBD	●	◐

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.



**Table 7-4. Equipment decontamination systems**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
46	Karcher C8-DADS Direct Application Decontamination System	●	●	◐	◑	TBD	●	TBD	○	●	●	TBD	●	◐
47	Karcher Decont Tent	●	●	TBD	◑	TBD	◐	●	●	●	●	◐	TBD	◐
48	Karcher Portable Lightweight Decontamination System DS 10	●	●	TBD	◐	○	◐	●	●	●	●	TBD	●	●
49	Karcher Hot Air Generator FB 60 E	●	●	TBD	◐	TBD	●	TBD	○	●	●	●	TBD	●
50	Karcher MPDS MultiPurpose Decontamination System	●	●	◐	◑	TBD	◐	TBD	○	●	●	TBD	TBD	TBD
51	Karcher Hot Air Generator FB 20	TBD	TBD	TBD	◑	TBD	◐	TBD	◐	●	●	TBD	●	◐
52	Karcher AEDA1 Decontamination Equipment	●	●	TBD	◐	TBD	◐	●	◐	●	●	TBD	●	◐
53	Karcher M600 Decontaminant Mixer	TBD	TBD	TBD	◐	TBD	NA	TBD	◑	●	●	TBD	●	◐
54	Atmospheric Pressure Plasma Jet	TBD	TBD	TBD	◐	TBD	◐	TBD	TBD	TBD	TBD	TBD	TBD	TBD

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-4. Equipment decontamination systems**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
55	Decon Hoop	●	●	TBD	◐	TBD	◐	◐	●	TBD	●	TBD	●	●
56	SNL Decon Formulation	●	●	TBD	●	NA	◐	●	●	●	●	●	●	●
57	Reactive Skin Decontaminant Lotion (RSDL)	●	◐	TBD	◐	NA	◐	●	●	◐	◐	●	●	●
65	Decontamination Apparatus, Portable, DS2, ABC-M11	○	○	TBD	◐	○	◐	TBD	TBD	●	TBD	TBD	●	●
66	M13 Portable Decontaminating Apparatus (DAP)	●	●	TBD	◐	○	●	TBD	●	●	TBD	TBD	●	●
67	NBC6F Water Purification Unit (WPU)	TBD	TBD	TBD	◐	○	◐	TBD	TBD	TBD	TBD	TBD	TBD	TBD

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-5. Infrastructure decontamination equipment**

September 2000

ID #	Equipment Name	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
26	Blast Guard	●	●	TBD	●	TBD	●	●	●	●	●	○	○	○
27	First Responder's Blast Guard	●	●	TBD	●	TBD	●	●	●	●	●	●	○	○
33	Karcher Decojet-Trailer Decontamination System	●	●	TBD	●	●	●	TBD	TBD	●	●	TBD	○	○
40	Karcher DECOCONTAIN 3000 Decontamination System	●	●	●	●	●	●	TBD	●	●	●	●	○	○
44	Karcher DECOCONTAIN 1500 Decontamination System	●	●	TBD	●	●	●	TBD	TBD	●	TBD	TBD	○	○
46	Karcher C8-DADS Direct Application Decontamination System	●	●	●	●	TBD	●	TBD	○	●	●	TBD	●	●
56	SNL Decon Formulation	●	●	TBD	●	NA	●	●	●	●	●	●	●	●
67	NBC6F Water Purification Unit (WPU)	TBD	TBD	TBD	●	○	●	TBD	TBD	TBD	TBD	TBD	TBD	TBD
72	Zenon Advanced Double Pass Reverse Osmosis Water Purification Unit	TBD	TBD	TBD	●	●	●	TBD	○	●	TBD	TBD	TBD	TBD

'TBD' (to be determined) - there are no data currently available to support that selection factor.

'NA' - the specific selection factor is not applicable for the piece of equipment.

See Table 7-6 for selection factor definitions.

**Table 7-6. Selection factor key for decontamination equipment**

September 2000

	Chemical Agents Decontaminated	Biological Agents Decontaminated	TIMs Decontaminated	Functional Applications	Capacity/ Throughput	Effectiveness of Decontamination	Set-Up Time	Power Capabilities	Operational Conditions	Durability	Resources	Operator Skill Level	Training Requirements
●	Decontaminates all nerve and blister agents	Decontaminates all biological agents	Decontaminates all of the TIMs listed	Decontaminates all application areas	More than 500 personnel; 20 large or 100 small pieces of equipment; or 10000 sq ft of area	Capable of neutralization and physical removal of contaminants	Less than 30 min	No power required	Operates in all expected environments	Capable of operating in harsh environments	One individual is required to use the decontamination system	No special skills or training required	No special training required
◐		Decontaminates multiple biological agents		Decontaminates multiple application areas	From 100 to 500 personnel; 10 to 20 large or 50 to 100 small pieces of equipment; or 5000 to 10000 square feet of area	Capable of neutralization but not physical removal of contaminants	From 30 min to 60 min	Vehicle or AC powered	Operates in most environments				
◑	Decontaminates either the nerve or blister agent class	Decontaminates only one biological agent	Decontaminates multiple TIMs	Decontaminates at least one of the application areas	From 50 to 100 personnel; 5 to 10 large or 25 to 50 small pieces of equipment; or 2500 to 5000 sq ft of area	Capable of physical removal but not neutralization of contaminants	From 60 min to 120 min	AC powered	Operation is restricted to certain environments	Operation is restricted to certain environments	Two people are required to use the decontamination system	No special skills but training required	Less than 8 h training required
◒			Decontaminates only one TIM										
○	Decontaminates none of the nerve or blister agents	Decontaminates no biological agents	Decontaminates none of the TIMs listed	Decontaminates none of the application areas	Less than 50 personnel; 5 large or 25 small pieces of equipment; or 2500 sq ft of area	Not capable of physical removal or neutralization of contaminants	Greater than 120 min	Other power sources such as diesel engines, electrical generators, etc	Operates only at room temperature	Not capable of operating in harsh environments	More than two people are required to use the decontamination system	Technician required to operate equipment	More than 8 h training required

The blank cells designate that the symbol is not applicable for the selection factor.

**APPENDIX A—RECOMMENDED QUESTIONS ON  
DECONTAMINATION EQUIPMENT**

## **APPENDIX A—RECOMMENDED QUESTIONS ON DECONTAMINATION EQUIPMENT<sup>1</sup>**

Buying detection, protection, and decontamination equipment to respond to the threatened terrorist use of chemical or biological warfare agents may be new for Public Safety Agencies. To help procurement officials obtain the best value for their domestic preparedness dollar, the staff of the Center for Domestic Preparedness (Fort McClellan, AL), military Chemical/Biological Units, the National Institute of Justice, and members of a Federal Inter Agency Board (that includes representatives from the State and local law enforcement, medical, and fire communities) have compiled a series of questions. These questions should assist officials in selecting products from the large number in the present-day marketplace. Requesting vendors to provide written responses to your specific questions may also be helpful in the decision process.

1. What decontamination operations does the system support — personnel, vehicles, and/or buildings?
2. What chemical warfare agents and biological agents has the decon equipment been designed against?
3. What chemical warfare and biological simulants has the decon equipment been tested against? Has the equipment been tested against live agents? Which ones?
4. Who conducted the tests and when? Have the test results been verified by an independent laboratory or only by the manufacturer?
5. Is the test data available? Where? How can I get a copy?
6. What decontamination agents does the system use? What precautions are required in storing, transporting, and mixing the concentrated decontamination reagent?
7. How much does the decon agent cost (per person treated or per vehicle treated) and what is the recommended quantity that a department should keep on hand? What are the shelf life and storage requirements? Is expedited logistics support for decon reagent available in an emergency? What are the costs, response times and time delays?
8. What water sources does the system support — hydrant, open water source (pond, river)? How much water is consumed per hour?
9. Does the system heat the water? If so what is the energy source? Does the heater capacity become the limiting factor on throughput during cold weather operations?
10. Does the system include equipment for managing run-off? What are the hazards and precautions?
11. What is the design throughput of the system — people per hour, vehicles per hour, square meters per hour?
12. Has the system been tested in extended operations? Is the system capable of continuous operations or must the processing be stopped periodically to replenish consumables? How long between required maintenance? Equipment?
13. What is the minimum suite of equipment for decon operations? How long does it take to set up the equipment? How many personnel are required for set up, continuous operations, and breakdown?

---

<sup>1</sup>Information provided by the National Domestic Preparedness Office (NDPO) in coordination with the National Institute of Justice and the Technical Support Working Group.

14. How large is the equipment — weight and volume? What is the recommended method of transport? Are there any transportation limitations?
15. For personnel decon, does the design provide for gender separation if disrobing is required?
16. What training is required to set up, operate and maintain the system? Does the company provide those services? Are training materials (videos, books, CD-ROMs) available for use by new personnel? What are the costs of training materials?
17. Has the system been tested in extreme weather conditions — cold, rain, heat, and wind? At what wind speed does the tent become a kite?
18. How is the equipment decontaminated after use? What are the sampling procedures to verify safety?
19. What are the procedures and costs for disposing of expended decontamination solution?
20. How long has the company/manufacturer been involved with the Chem-Bio-Nuc and first responder industries?
21. Ask for names and phone numbers of departments currently using the company's equipment. Ask to follow-up (on the phone) any written testimonials.
22. What additional items are required to operate/maintain the equipment? At what cost?
23. What type of warranty/maintenance support is offered? Cost?
24. What is the return rate on the equipment under warranty? What are the top five reasons for failure?

## **APPENDIX B—REFERENCES**



## APPENDIX B—REFERENCES

1. John A. Barrett, William M. Jackson, Imran A. Baig, Amy L. Coverstone, Craig E. Harfield, Richard D. Arcilesi, James Butler, William Burton, and Charles W. Williams, Jr., *Wide Area Decontamination: CB Decontamination Technologies, Equipment and Projects, Final Report*; Chemical Warfare/Chemical Biological Defense Information Analysis Center, Edgewood, MD, March 1999.
2. Armando S. Bevelacqua and Richard H. Stilp, *Terrorism Handbook for Operational Responders*, Emergency Film Group, Edgartown, MA, January 1998.
3. Robert E. Hunt, Timothy Hayes, Warren B. Carroll, *Guidelines for Mass Casualty Decontamination During a Terrorist Chemical Agent Incident*, Battelle, Columbus, OH, September 1999.
4. A.K. Stuempfle, D.J. Howells, S.J. Armour, C.A. Boulet, *International Task Force 25: Hazard from Industrial Chemicals Final Report*, Edgewood Research Development and Engineering Center, Aberdeen Proving Ground, MD, AD-B236562, ERDEC-SP-061, April 1998.
5. *Responding to A Biological or Chemical Threat: A Practical Guide*, U.S. Department of State, Bureau of Diplomatic Security, Washington, DC, 1996.
6. *2000 Emergency Response Guidebook, A Guidebook for First Responders During the Initial Phase of a Dangerous Goods/Hazardous Materials Incident*, U.S. Department of Transportation, Research and Special Programs Administration, Tempest Publishing, Alexandria, VA, January 2000.

## **APPENDIX C—DECONTAMINATION SHELTERS**

## APPENDIX C—DECONTAMINATION SHELTERS

Decontamination Shelters	Manufacturers
First Response Shelters	TVI Corporation 7100 Holladay Tyler Road Suite 300 Glenn Dale, MD 20769 301-352-8800 (Phone) 301-352-8818 (Fax)
Quick-E WMD Command Post	TVI Corporation 7100 Holladay Tyler Road Suite 300 Glenn Dale, MD 20769 301-352-8800 (Phone) 301-352-8818 (Fax)
Emergency Shelter	Zumro, Inc. P.O. Box 655 Willow Grove, PA 19090 800-932-6003 (Phone)
SC Spill Containment	<p>                         North Eastern US                          Better Products Company                          States: MA, CT, VT, NH,                          ME, RI, NY, NJ, and PA                          Dan Meloche                          800-423-0686 (Phone)                          508-885-9955 (Fax)                     </p> <p>                         Western US                          SC Spill Containment                          Karl &amp; Vera Steiner                          888-775-3030 (Phone)                          208-834-2652 (Fax)                     </p>

## **APPENDIX D—DECONTAMINATION EQUIPMENT TRAILER**

## APPENDIX D—DECONTAMINATION EQUIPMENT TRAILER

The Boston Fire Department recently completed the construction of a new Mobile decontamination unit, shown in figure 1. This unit is a 22 ft International box truck that has been outfitted to function as a decontamination unit, responding to hazardous materials incidents. The unit provides 6 indoor showers and 4 outdoor showers using warm water and a sheltered area for changing to address modesty issues. It has been outfitted with polyethylene walls, floor and ceiling, plumbing, electrical, ventilation equipment, supplied air, and a hot water system. In preliminary testing by the Boston Fire Department it was found that it would take a civilian 6 min to 7 min to move through the decontamination sections and 5 min to 7 min for a firefighter dressed in level A. The decontamination unit also carries military field shower units and emergency decontamination shelters. The showers in the units are capable of supplying warm water for decontamination. The water heater used for the field shower is capable of delivering 33000 British thermal unit (Btu).



*Figure 1. Mobile decontamination unit*

The unit is divided into four sections. Smoked-out plastic curtains divide each section including the entrance and exit to provide privacy. The first section is the entrance, shown in figure 2. The entrance is utilized as a storage area for the water heater, when the unit is not in use as a clothing removal area.



*Figure 2. Section 1, entrance*

Sections 2 and 3 house the showers. Section 2 houses the primary showers. Four showerheads are located in this section for decontamination purposes (fig. 3). Section 3 includes 2 showerheads, one on each wall (fig. 4).



***Figure 3. Section 2, primary showers***




***Figure 4. Section 3, secondary showers***

Finally, section 4 comprises a storage and redressing area and is used to store victim clothing, storage shelving, decontamination supplies and solutions, supplied air, and extra tentage (fig. 5). Section 4 also includes a ventilation system that draws air from all four sections through a HEPA filter and vents to the outside (fig. 6).



***Figure 5. Section 4, storage area***



***Figure 6. HEPA filter***

The hot water system employed in the decontamination unit is equipped with a military M80 diesel or JP8 fired boiler that requires 240 VAC input from the generator (fig. 7). This unit was provided by the SBCCOM under a Cooperative Research & Development Agreement with the City of Boston for evaluation. The heater itself is capable of 500000 Btu and can deliver 9 gallons per minute (gpm). The heated water is mixed in a mixing chamber with cold water to supply the entire unit. The approximate weight of the water heater is 350 lb, not including the extra hoses and mixing box used to incorporate the cold water.

The entire system must be pressurized to no more than 40 lb psi. As a result, a fire engine is utilized as a manifold to regulate the pressure from any water source (i.e., hydrant). Liquid runoff and waste runs via gravity feed through drains that are located in the floor of every section into a collapsible holding tank (fig. 8). A hazardous materials contractor then removes the contaminated water from the container.



**Figure 7. Generator**



**Figure 8. Holding tank**

The department is currently in the process of working on revisions to their design to ensure optimal trailer levels in the future. The Boston Fire Department built the decon unit using the knowledge they have acquired during working hazardous materials incidents. However, there are many commercial decontamination trailer vendors available. Below are the names and contact information for some of them.

Advanced Containment Systems Inc. (ACSI)  
8720 Lambright Road  
Houston, TX 77075  
800-927-2271 (Phone)

American Engineering  
15886 Michigan Road  
Argos, IN 46501  
219-892-5151 (Phone)

Maryland Trailer Sales  
410-866-4053 (Phone)

Resun Leasing, Inc.  
P.O. Box 1069  
Edgewood, MD 21040  
800-321-7971 (Phone)

HazDecon  
810 W. Alex Bell Rd  
Dayton, OH 45459

## **APPENDIX E—INDEX BY DECONTAMINANT NAME**



## APPENDIX E—INDEX BY DECONTAMINANT NAME

<i>Decontaminant</i>	<i>Page F-#</i>
Calcium Hypochlorite	1
Sodium Hydroxide Solutions (More than 10 % NaOH)	3
Sodium Hydroxide Solution (0.8 % to 8 %)	5
Sodium Hypochlorite	7
Sodium Hypochlorite Solution (Bleach)	9
C8 emulsion (tetrachloroethylene (15 %), water (76 %), anionic surfactant (1 %), calcium hypochlorite (8 %))	11
Decontaminating Solution-2 (DS-2) (Diethylenetriamine (70 %), 2-methoxyethanol (28 %), sodium hydroxide (2 %))	12
BX24	12
Chloramine-B	14
Super Tropical Bleach (STB)	14

## **APPENDIX F—DECONTAMINANT DATA SHEETS**

## APPENDIX F—DECONTAMINANT DATA SHEETS

### Decontaminant

### Permissible Exposure Limit

### Health Effects

### *Calcium Hypochlorite*

Information not available

### Emergency Overview

-----  
DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. HARMFUL IF SWALLOWED OR INHALED. WATER REACTIVE.

Inhalation: Corrosive. Extremely destructive to tissues of the mucous membranes and upper respiratory tract. Symptoms may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Inhalation may be fatal as a result of spasm, inflammation, and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema.

Ingestion: Corrosive. Swallowing can cause severe burns of the mouth, throat, and stomach. Can cause sore throat, vomiting, and diarrhea.

Skin Contact: Corrosive. Symptoms of redness, pain, and severe burn can occur.

Eye Contact: Corrosive. Contact can cause blurred vision, redness, pain, and severe tissue burns.

Chronic Exposure: Repeated exposures to calcium hypochlorite may cause bronchitis to develop with cough and/or shortness of breath.

Aggravation of Pre-existing Conditions: No information found.

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person.

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 min while removing contaminated clothing and shoes. Wash clothing before reuse.

In all cases get medical attention immediately.

## **Environmental Hazards**

Stability: Rapidly decomposes on exposure to air. May decompose violently if exposed to heat or direct sunlight. Thermally unstable; decomposes at 177 °C (350 °F).

Hazardous Decomposition Products: Calcium hypochlorite gives off oxygen, chlorine, and chlorine monoxide.

Incompatibilities: Calcium hypochlorite is a strong oxidizer. Reacts with water and acids, giving off chlorine gas. Forms explosive compounds with ammonia and amines. Incompatible with organic materials, nitrogen compounds, and combustible materials.

## **Environmental Conditions**

Information not available

## **Environmental Considerations**

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a Resource Conservation and Recovery Act (RCRA) approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from Federal disposal regulations. Dispose of container and unused contents in accordance with Federal, State, and local requirements.

Accidental Release Measures: Remove all sources of ignition. Keep water away from spilled material. Ventilate area of leak or spill. Wear appropriate personal protective equipment as required.  
Spills: Clean up spills in a manner that does not disperse dust into the air. Use nonsparking tools and equipment. Pick up spill for recovery or disposal and place in a closed container. Do not seal tightly.

## **PPE Required**

Personal Respirators (NIOSH approved): For conditions of use where exposure to the dust or mist is apparent, a half-face dust/mist respirator may be worn. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator.

**WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron, or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eyewash fountain and quick-drench facilities in work area.

## **Decontaminant**

*Sodium Hydroxide Solutions (More than 10 % NaOH)*

## **Permissible Exposure Limit**

1.2 ppm (v)

## **Health Effects**

### Emergency Overview

-----  
POISON! DANGER! CORROSIVE. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. CAUSES BURNS TO ANY AREA OF CONTACT. REACTS WITH WATER, ACIDS, AND OTHER MATERIALS.

Inhalation: Severe irritant. Effects from inhalation of mist vary from mild irritation to serious damage of the upper respiratory tract, depending on severity of exposure. Symptoms may include sneezing, sore throat or runny nose. Severe pneumonitis may occur.

Ingestion: Corrosive! Swallowing may cause severe burns of mouth, throat, and stomach. Severe scarring of tissue and death may result. Symptoms may include bleeding, vomiting, diarrhea, and a fall in blood pressure. Damage may appear days after exposure.

Eye Contact: Corrosive! Causes eye irritation, and with greater exposures it can cause burns that may result in permanent vision impairment, and even blindness.

### **Environmental Hazards**

Decomposition by reaction with metals such as aluminum, magnesium, tin, and zinc releases flammable and explosive hydrogen gas.

May cause fire and explosions when in contact with incompatible materials (10 % to 60 % Sodium Hydroxide solution).

Not an explosive hazard when using a sodium hydroxide solution less than 8 %.

### **Environmental Conditions**

Store in a cool, dry, ventilated area away from sources of heat, moisture, and incompatibilities. Store above 16 °C (60 °F) to prevent freezing. Always add caustic to water while stirring; never the reverse. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Do not store with aluminum or magnesium. Do not mix with acids or organic materials.

### **Environmental Considerations**

This material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from Federal disposal regulations. Dispose of container and unused contents in accordance with Federal, State, and local requirements.

Accidental Release Measures: Contain and recover liquid when possible. Do not flush caustic residues to the sewer. Residues from spills can be diluted with water, neutralized with dilute acid such as acetic, hydrochloric or sulfuric. Absorb neutralized caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal.

## **PPE Required**

Personal Respirators (NIOSH approved): If the personnel exposure limit is exceeded, a half-face dust/mist respirator may be worn for up to 10 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece dust/mist respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator.

**WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eyewash fountain and quick-drench facilities in work area.

## **Decontaminant**

***Sodium Hydroxide Solution (0.8 % to 8 %)***

## **Permissible Exposure Limit**

1.2 ppm (v)

## **Health Effects**

Potential Health Effects: The health effects from exposure to diluted forms of this chemical are not well documented. They are expected to be less severe than those for concentrated forms that are referenced in the descriptions below.

## **Environmental Hazards**

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: No hazardous decomposition products.

Hazardous Polymerization: Will not occur.

Incompatibilities: Acids, aluminum, tin, and zinc metals.

Conditions to Avoid: Heat, moisture, and incompatibles.

### **Environmental Conditions**

Store in a cool, dry, ventilated area away from sources of heat, moisture, and incompatibilities. Store above 16 °C (60 °F) to prevent freezing. Always add the caustic to water while stirring; never the reverse. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Do not store with aluminum or magnesium. Do not mix with acids or organic materials.

### **Environmental Considerations**

This material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from Federal disposal regulations. Dispose of container and unused contents in accordance with Federal, State, and local requirements.

Accidental Release Measures: Contain and recover liquid when possible. Do not flush caustic residues to the sewer. Residues from spills can be diluted with water, neutralized with dilute acid such as acetic, hydrochloric or sulfuric. Absorb neutralized caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal.

### **PPE Required**

Personal Respirators (NIOSH approved): If the personnel exposure limit is exceeded, a half-face, dust/mist respirator may be worn for up to 10 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece dust/mist respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator.



WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eyewash fountain and quick-drench facilities in work area.

## **Decontaminant**

### ***Sodium Hypochlorite***

Sodium hypochlorite is manufactured only in solution form. Industrial grade sodium hypochlorite contains from 10 % to 15 % by weight NaOCL (10 % to 17.8 % available chlorine) with about 0.50 % to 1.00 % excess NaOH for stability control.

0.5 ppm (v)

## **Permissible Exposure Limit**

## **Health Effects**

### **Emergency Overview**

-----  
DANGER! CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED.

Inhalation: May cause irritation to the mucous membranes of the respiratory tract.

Ingestion: Do not give any liquid to an unconscious person. Drink large quantities of gelatin solution or milk. If these are not available, drink large quantities of water. Do NOT give vinegar, baking soda or acidic antidotes. GET MEDICAL ATTENTION IMMEDIATELY.

Skin Contact: May cause moderate skin irritation and reddening of the skin.

Eye Contact: May cause severe irritation.

## **Environmental Hazards**

Conditions to Avoid: Stability decreases with concentration, heat, light exposure, decrease in pH, and contamination with heavy metals, such as nickel, cobalt, copper, and iron.

Materials to Avoid: Strong acids, strong oxidizers, heavy metals (which act as catalysts), reducing agents, ammonia, ether, and many organic and inorganic chemicals such as paint, kerosene, paint thinners, shellac, etc.

Hazardous Decomposition Products: Chlorine, hydrochloric acid, hypochlorous acid (HOCL). Composition depends upon temperature and decrease in pH. Additional decomposition products that depend upon pH, temperature, and time are sodium chloride, sodium chlorate, and oxygen.

## **Environmental Conditions**

Handling and Storage: Store in vented, closed, clean, noncorrosive containers in a cool, dry location, away from direct sunlight and not adjacent to chemicals which may react with the bleach if spillage occurs. If closed containers become heated, the containers should be vented to release decomposition products (mainly oxygen under normal decomposition). Do not mix or contaminate with ammonia, hydrocarbons, acids, alcohols, or ethers.

## **Environmental Considerations**

Disposal Considerations: Can be neutralized with weak reducing agents such as sodium sulfite, bisulfite, or thiosulfite (DO NOT USE SULFATES OR BISULFATES). Dispose of in accordance with all applicable local, county, State, and Federal regulations.

## **PPE Required**

Always use only NIOSH/MSHA-approved respirators with acid-type canisters; in the case of a fire, use self-contained breathing apparatus.

Ventilation: No special ventilation is required unless bleach is exposed to decomposition conditions, i.e., heat or acidic conditions.

Protective Clothing: Avoid contact with the eyes. Wear chemical goggles and/or face shield if there is the likelihood of contact with the eyes. Avoid prolonged or repeated contact with the skin. Wear chemical-resistant gloves and other clothing as required to minimize contact.

Other Protective Clothing or Equipment: Safety showers and eyewash fountains should be available in storage and handling areas.

Work/Hygienic Practices: All employees who handle sodium hypochlorite should wash their hands before eating, smoking, or using the toilet facilities.

### **Decontaminant**

#### ***Sodium Hypochlorite Solution (Bleach)***

1. Sodium Hypochlorite (as NaOCl) –4 % to 7 %;  
Water –93 %

### **Permissible Exposure Limit**

0.5 ppm (v)

### **Health Effects**

#### **Emergency Overview**

-----  
DANGER! CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED.

Ingestion: May cause erosion of the mucous membranes. Symptoms include vomiting, circulatory collapse, confusion, coma, and death. May cause edema of pharynx, glottis, larynx, and perforation of the esophagus or stomach. Effects are less damaging at lower concentrations.

Skin Contact: Contact may cause severe irritation with blistering and eczema, especially at higher concentrations.

Eye Contact: Contact may cause severe irritation and damage, especially at higher concentrations.

Chronic Exposure: A constant irritant to the eyes and throat.

Aggravation of Pre-existing Conditions: Persons with impaired respiratory function may be more susceptible to the effects of the substance.

## **Environmental Hazards**

Stability: Slowly decomposes on contact with air. Rate increases with the concentration and temperature. Exposure to sunlight accelerates decomposition. Sodium hypochlorite becomes less toxic with age.

Hazardous Decomposition Products: Emits toxic fumes of chlorine when heated to decomposition. Sodium oxide at high temperatures.

Hazardous Polymerization: Will not occur.

Incompatibilities: Ammonia (chloramine gas may evolve), amines, ammonium salts, aziridine, methanol, phenyl, acetonitrile, cellulose, ethyleneimine, oxidizable metals, acids, soaps, and bisulfates.

Conditions to Avoid: Light, heat, and incompatibles.

## **Environmental Conditions**

Keep in a tightly closed container; store in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

## **Environmental Considerations**

Ventilate area of leak or spill. Wear appropriate personal protective equipment as required. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Collect liquid in an appropriate container or absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials,

such as sawdust. Do not flush to sewer! U.S. Regulations require reporting spills and releases to soil, water, and air in excess of reportable quantities. The toll free number for the U.S. Coast Guard National Response Center is 800-424-8802.

Dilute with water and flush to sewer if local ordinances allow, otherwise, whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from Federal disposal regulations. Dispose of container and unused contents in accordance with Federal, State, and local requirements.

## **PPE Required**

Personal Respirators (NIOSH approved): If the exposure limit is exceeded, a full facepiece respirator with an acid gas cartridge may be worn up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator.

**WARNING:** Air purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eyewash fountain and quick-drench facilities in work area.

## **Decontaminant**

*C8 emulsion (tetrachloroethylene (15 %), water (76 %), anionic surfactant (1 %), calcium hypochlorite (8 %))*

## **Permissible Exposure Limit**

Information not available.

<b>Health Effects</b>	Information not available.
<b>Environmental Hazards</b>	Information not available.
<b>Environmental Conditions</b>	Information not available.
<b>Environmental Considerations</b>	Information not available.
<b>PPE Required</b>	Information not available.
<b><u>Decontaminant</u></b>	<b><i>Decontaminating Solution-2 (DS-2)</i></b> <b><i>(Diethylenetriamine (70 %), 2-methoxyethanol</i></b> <b><i>(28 %), sodium hydroxide (2 %))</i></b>
<b>Permissible Exposure Limit</b>	Information not available.
<b>Health Effects</b>	Information not available.
<b>Environmental Hazards</b>	DS2 ignites spontaneously on contact with calcium hypochlorite.
<b>Environmental Conditions</b>	Information not available.
<b>Environmental Considerations</b>	DS2 is extremely corrosive and should not be used on people or on electronics or other sensitive equipment.
<b>PPE Required</b>	Information not available.
<b><u>Decontaminant</u></b>	<b><i>BX24</i></b>
<b>Permissible Exposure Limit</b>	1 ppm to 3 ppm.
<b>Health Effects</b>	General advice.  The product in normal conditions of storage and employment is not dangerous and the concentration reached during use is not harmful at all for humans or animals.
<b>Environmental Hazards</b>	<b><u>Stability:</u></b> Stable under ordinary conditions of use and storage (stable for at least 3 years) if stored in recommended containers. The accidental penetration of water into a storeroom with poor ventilation or fire are the only ways to generate strong and concentrated releases of active chlorine reaching a dangerous level.  <b><u>Reactivity Conditions:</u></b> Humidity causes chlorine release.

Incompatibilities: Nitrogen compounds such as ammonia, amine, urea, and similar; reducers, and organic oxidizable substances.

Conditions to Avoid: Heat dangerous substances deriving from decomposition of chlorine (240 °C to 250 °C), humidity.

Flammability: None.

Thermic Decomposition can be controlled by large quantities of water.

### **Environmental Conditions**

Store in original containers within a cool, dry, and well ventilated room or area, separate from other chemical components to ensure against chlorine production. Storerooms must be appropriately built to avoid infiltration of water. Containers should be stacked properly in order to avoid breakage or damage with consequent deterioration of the product.

Storage temperature from –30 °C to +60 °C.

### **Environmental Considerations**

BX24 has negligible impact on the environment, because of its chemical characteristics and the low specific quantities that are used in the decontamination process.

Disposal Considerations: In the event of an accidental leak or spillage, small quantities can be eliminated with water. Keep in mind the affect of active chlorine on water and on water treatment plants.

If compounds of chlorine donors are disposed, they must be considered active and dangerous wastes. Official regulations regarding local specific requirements for destruction and/or disposal must be determined. If the material is dry, incinerator destruction is recommended. The product must be poured into a clean container and transported there. During cleaning operations, BX24 does not have to be mixed with wastes or other products, like oil, sawdust, fine dust, etc. Do not destroy full or partially full containers in common waste compactors. Do not transport the product if wet. A method for destruction residue involves its neutralization into a waste, which can be eliminated without danger.

	<u>Waste Disposal:</u> Destruction by sodium sulphite in controlled conditions and by experienced personnel.
	<u>Special Shipping Information:</u> Warning in case of fire.
<b>PPE Required</b>	Safety glasses, adequate ventilation, and gloves.
<b><u>Decontaminant</u></b>	<b><i>Chloramine-B</i></b>
<b>Permissible Exposure Limit</b>	Information not available.
<b>Health Effects</b>	Information not available.
<b>Environmental Hazards</b>	Information not available.
<b>Environmental Conditions</b>	Store in a cool, dry, ventilated area away from sources of heat, moisture, and incompatibilities.
<b>Environmental Considerations</b>	Information not available.
<b>PPE Required</b>	Safety glasses, adequate ventilation.
<b><u>Decontaminant</u></b>	<b><i>Super Tropical Bleach (STB)</i></b>
<b>Permissible Exposure Limit</b>	Information not available.
<b>Health Effects</b>	Information not available.
<b>Environmental Hazards</b>	Information not available.
<b>Environmental Conditions</b>	Information not available.
<b>Environmental Considerations</b>	Information not available
<b>PPE Required</b>	Information not available.



**APPENDIX G—EPA LETTER ADDRESSING  
HAZARDOUS RUNOFF**



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
SOLID WASTE AND EMERGENCY  
RESPONSE

SEP 17 1999

Randolph G. Laye  
Team Leader, Chemical Weapons  
Improved Response Team  
U.S. Army Soldier and Biological Chemical Command  
5183 Blackhawk Road  
Aberdeen Proving Grounds, MD 21010

Dear Mr. Laye:

Thank you for your letter dated April 19, 1999, concerning the impact of contaminated run-off water resulting from mass casualty decontamination. In your letter, you requested the Environmental Protection Agency (EPA) to address two issues: the first responders' liability for spreading contamination while attempting to save lives and the acceptable level of contamination that could enter the Chesapeake Bay without being considered a threat to the ecosystem.

The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Section § 107 (d) Rendering Care or Advice, addresses this issue. Section 107 (d) (1), often known as the "good Samaritan" provision, states: "No person shall be liable under this subchapter for costs or damages as a result of actions taken or omitted in the course of rendering care, assistance, or advice in accordance with the National Contingency Plan (NCP) or at the direction of an On-Scene Coordinator appointed under such plan, with respect to an incident creating a danger to public health or welfare or the environment as a result of any releases of a hazardous substance or the threat thereof." This provision does not preclude liability for costs or damages as a result of negligence. CERCLA §107 (d) (1) would apply to releases of chemical and biological warfare agents due to a terrorists incident, to the extent that there is a release or threatened release of a hazardous substance.

In addition, §107(d)(2) provides that state and local governments are not liable under CERCLA "as a result of actions taken in response to an emergency created by the release or threatened release of a hazardous substance generated by or from a facility owned by another person." Section 107(d)(2) would insulate State and local governments from potential CERCLA liability arising from first responder actions. However, the provision does not apply to costs or damages caused by "gross negligence or intentional misconduct by the State or local government."

EPA will not pursue enforcement actions against state and local responders for the environmental consequences of necessary and appropriate emergency response actions. During a

Internet Address (URL) • <http://www.epa.gov>

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on Recycled Paper (Minimum 25% Postconsumer)

hazardous materials incident (including a chemical/biological agent terrorist event), first responders should undertake any necessary emergency actions to save lives and protect the public and themselves. Once any imminent threat to human health and life is addressed, first responders should immediately take all reasonable efforts to contain the contamination and avoid or mitigate environmental consequences and an expanded scope of work for mitigative response actions.


First responders must be aware that EPA cannot prevent a private person from filing suit under CERCLA. Defenses to such an action are described above. In addition, first responders could be subject to actions under other law, including State tort laws. A State's tort law allows individuals and businesses to seek compensation for losses or harm caused by another. The extent of tort liability of a state or local governmental jurisdiction, as well as individual employees or representatives of that jurisdiction, is established by the tort law of each state. The liability of governmental jurisdictions and their employees may be shaped by factors such as negligence, statutory and discretionary immunity, etc. First responders should consult legal counsel in their state to discuss authority, status as an agent of the state, immunities, and indemnification.

We also recommend first responders to involve state and federal officials as soon as possible to reduce potential liability concerns. For example, under CERCLA an on-site emergency response action does not have to comply with federal or state environmental regulations determined to be impracticable by the federal on-scene coordinator (FOSC). In addition, FOSCs have an expanse of federal resources of the National Response System described in the NCP available to support the local incident commanders and will support the state and local responders in determining a solution which best addresses protectiveness of human health and the environment.

With regards to your second question, there is no one "acceptable level" of contaminated run-off which does not pose a threat to the environment. The threat is dependent upon many variables, including contaminant, concentration, point of entry, and size and characteristics of the primary receiver stream. Contaminated run-off should be avoided whenever possible, but should not impede necessary and appropriate actions to protect human life and health. Residual contamination can be addressed immediately after or while human life and health are protected.

Please let me know if you want to further discuss these issues or have any additional questions. You can reach me directly at (202) 260-8600 or call Ken Stroeck, EPA's Counter-Terrorism Program Coordinating Chair, at (202) 260-3434 or Awilda Fuentes at (202) 260-4514.

Sincerely,



Jim Makris  
EPA Emergency Coordinator

**APPENDIX H—FIRST RESPONDERS’  
ENVIRONMENTAL LIABILITY DUE TO MASS  
DECONTAMINATION RUNOFF**



# FIRST RESPONDERS' ENVIRONMENTAL LIABILITY DUE TO MASS DECONTAMINATION RUNOFF

The Environmental Protection Agency (EPA) is issuing this alert as part of its ongoing effort to provide information on environmental issues related to biological, chemical, and nuclear terrorist incidents. EPA publishes *Alerts* to increase awareness of possible hazards and environmental concerns. It is important that SERCs, LEPCs, emergency responders and others review this information and take appropriate steps to minimize risk.

## PROBLEM

On April 19, 1999, the Team Leader of the Chemical Weapons Improved Response Team (CWIRT), U.S. Army Soldier and Biological Chemical Command sent a letter to EPA raising issues concerning first responders' liability during a weapons of mass destruction (WMD) terrorist incident. Specifically, the CWIRT asked about the first responders' liability for spreading contamination while attempting to save lives.

Environmental liability resulting from critical lifesaving actions may seem unlikely, but could be a serious concern for many first responders. The question is: Can emergency responders undertake necessary emergency actions in order to save lives in dire situations without fear of environmental liability even when such emergency actions have unavoidable adverse environmental impacts? This concern is not limited to WMD terrorist incidents, it has

and frequently is discussed in the hazardous materials response community.

## THE NERVE AGENT DRILL

The federal government recently sponsored a multi-agency drill based on a simulated nerve-agent attack. The release of the nerve agent resulted in hundreds of simulated casualties who survived the initial terrorist attack. The hazmat team had to rescue and decontaminate these "survivors" before they could receive medical attention. The hazmat team identified the need to collect the water used to decontaminate the victims (deconwater) to avoid a release to the environment. During the drill, these very capable, well-equipped, well-intentioned, professional hazmat teams delayed their initial entry for more than one hour, awaiting the arrival and set-up of pools to collect the deconwater. While the actor-survivors were dying a slow, painful, convulsive death, state and federal officials were debating and insisting that deconwater had to be collected for proper disposal. By the time the rescuers set up the holding pools and entered the site, nearly 90 minutes later, the "survivors"

CHEMICAL SAFETY

ALERT

broad implications for our National Response System (NRS)

had expired. The contaminated water was collected but the “victims” died.

## **GOOD SAMARITAN PROVISIONS**

The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Section § 107 (d) Rendering Care or Advice, addresses this issue. Section 107 (d) (1), often known as the “good Samaritan” provision states: “No person shall be liable under this sub chapter for costs or damages as a result of actions taken or omitted in the course of rendering care, assistance, or advice in accordance with the National Contingency Plan (NCP) or at the direction of an on-scene coordinator appointed under such plan, with respect to an incident creating a danger to public health or welfare or the environment as a result of any releases of a hazardous substance or the threat thereof.” This provision does not preclude liability for costs or damages as a result of negligence. Releases of chemical and biological warfare agents due to a terrorist incident are considered hazardous materials incidents and therefore CERCLA §107 (d) (1) could apply, to the extent that there is a release or threatened release of a hazardous substance.

In addition, §107(d)(2) provides that state and local governments are not liable under CERCLA “as a result of actions taken in response to an emergency created by the release or threatened release of a hazardous substance generated by or from a facility owned by another person.” Section 107(d)(2) would insulate state and local governments from potential CERCLA liability arising from first responder actions. **However, the provision does not apply to costs or damages caused by “gross negligence or intentional misconduct by the state or local government.”**

During a hazardous materials incident (including a chemical/biological agent terrorist event), first responders should undertake any necessary emergency actions to save lives and protect the public and themselves. **Once any imminent threats to human health and life are addressed, first responders should immediately take all reasonable efforts to contain the contamination and avoid or mitigate environmental consequences.** EPA will not pursue enforcement actions against state and local responders for the environmental consequences of necessary and appropriate emergency response actions. First responders would not be protected under CERCLA from intentional contamination such as washing hazardous materials down the storm-sewer during a response action as an alternative to costly and problematic disposal or in order to avoid extra-effort.

## **OTHER LIABILITY ISSUES AND STATE TORT LAWS**

EPA cannot prevent a private person from filing suit under CERCLA. However, first responders can use CERCLA’s Good Samaritan provision as defenses to such an action. First responders could also be subject to actions under other laws, including state tort laws. A state’s tort law allows individuals and businesses to seek compensation for losses or harm caused by another. The extent of tort liability of a state or local governmental jurisdiction, as well as individual employees or representatives of that jurisdiction, is established by the tort law of each state. The liability of governmental jurisdictions and their employees may be shaped by factors such as negligence, statutory and discretionary immunity, etc. **First responders should consult legal counsel in their state to discuss authority, status as an agent of the state, immunities, and indemnification.**

## **FEDERAL SUPPORT DURING A WMD INCIDENT**

Contaminated runoff should be avoided whenever possible, but should not impede necessary and appropriate actions to protect human life and health. **Once the victims are removed and safe from further harm and the site is secured and stable, the first responders should be doing everything reasonable to prevent further migration of contamination into the environment.**

First responders should involve state and federal officials as soon as possible to reduce potential liability concerns. Under CERCLA, the Federal On-Scene Coordinator (FOSC) can determine which environmental regulations are applicable (or relevant and appropriate) to any removal response and may further determine that any such environmental regulation is impracticable to achieve depending on the exigencies of the situation. If the FOSC determines that it is impracticable to comply with any particular environmental regulation, then the responders (local, state, Federal or responsible party) do not have to comply with that particular environmental regulation. **By involving FOSC, first responders can substantially reduce their potential liability.**

In addition, FOSCs have an expanse of resources under the NRS to support state and local responders in determining a solution which best addresses protectiveness of human health and the environment. Under the NRC, the FOSC can provide invaluable assistance in determining clean-up and decontamination needs, health criteria and appropriate clean-up protocols as needed. FOSC support is even more critical in the aftermath of a WMD terrorist attack when critical post-emergency actions such as agent identification, crime scene sampling, crime scene preservation, and long-term risk evaluation are also being

conducted.

## **PRE-PLANNING IS KEY!**

It may not be technically feasible to contain all the runoff resulting from a WMD incident, but emergency responders may be able to reduce its impact to the environment by pre-planning. Responders can maximize local resources by using existing response mechanisms as much as possible. Local Emergency Planning Committees (LEPCs) are a good starting point. LEPCs are established under the Emergency Planning and Community Right-to-Know Act to develop local governments' emergency response and preparedness capabilities through better coordination and planning, especially within the local community. LEPCs include elected officials, police, fire, civil defense, public health professionals, environmental, hospital and transportation officials, who can work together creatively using available resources to minimize the environmental impact of WMD incidents.

**For More Information.....**

**Contact the Emergency Planning and  
Community Right-to-Know Hotline**

**(800) 424-9346 or (703) 412-9810  
TDD (800)553-7672**

**Monday -Friday, 9 AM to 6 PM, EASTERN  
TIME**

—————  
Visit the **CEPPO Home Page on the  
World Wide Web at:**  
**<http://www.epa.gov.ceppo/>**

**U.S. Department of Justice**  
**Office of Justice Programs**  
810 Seventh Street N.W.  
Washington, DC 20531

***John Ashcroft***  
*Attorney General*

***Deborah J. Daniels***  
*Assistant Attorney General*

***Sarah V. Hart***  
*Director, National Institute of Justice*

---

For grant and funding information, contact:  
**Department of Justice Response Center**  
800-421-6770

---

**Office of Justice Programs**  
**World Wide Web Site:**  
*<http://www.ojp.usdoj.gov>*

**National Institute of Justice**  
**World Wide Web Site:**  
*<http://www.ojp.usdoj.gov/nij>*

---